# AUTHOR INDEX VOLUME 145


A

**Adams, I.R., and Kilmartin, J.V.** Localization of core spindle pole body (SPB) components during SPB duplication in *Saccharomyces cerevisiae*. 809.

**Ahmad, F.J., Yu, W., McNally, F.J., and Baas, P.W.** An essential role for katanin in severing microtubules in the neuron. 305.

**Akanbi, K.** *See* French, Smith, Akanbi, Sanford, Hecht, Farach-Carson, and Carson.

**Albar, J.P.** *See* Puertollano, Martín-Belmonte, Millán, del Carmen de Marco, Albar, Kremer, and Alonso.

**Albayya, F.P.** *See* Michele, Albayya, and Metzger.

**Albus, A.** *See* Koch, Olson, Albus, Jin, Hunter, Brunken, Burgeson, and Champliaud.

**Allison, D.C., and Nestor, A.L.** Evidence for a relatively random array of human chromosomes on the mitotic ring. 1.

**Alonso, M.A.** *See* Puertollano, Martín-Belmonte, Millán, del Carmen de Marco, Albar, Kremer, and Alonso.

**Amberg, D.C.** *See* Rodal, Tetreault, Lappalainen, Drubin, and Amberg.

**Anderson, H.J.** *See* Sauvé, Anderson, Ray, James, and Roberge.

**Andjelkovic, A.V., Spencer, D.D., and Pachter, J.S.** Visualization of chemokine binding sites on human brain microvessels. 403.

**Antony, C.** *See* Mallard, Antony, Tenza, Salamero, Goud, and Johannes.

**Aoki, J.** *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.

**Aono, S., Nakagawa, S., Reynolds, A.B., and Takeichi, M.** $p120^{ctn}$ acts as an inhibitory regulator of cadherin function in colon carcinoma cells. 551.

**Astier, M.** *See* Frémion, Astier, Zaffran, Guillèn, Homburger, and Sémériva.

**Astoul, E., Watton, S., and Cantrell, D.** The dynamics of protein kinase B regulation during B cell antigen receptor engagement. 1511.

B

**Baart, E.** *See* Woods, Hodges, Baart, Baker, Liskay, and Hunt.

**Baas, P.W.** *See* Ahmad, Yu, McNally, and Baas.

**Bachorik, J.L.** *See* Kataoka, Bachorik, and Dreyfuss.

**Bacick, I.** *See* Tortorella, Story, Huppa, Wiertz, Jones, Bacik, Bennink, Yewdell, and Ploegh.

**Bagrodia, S.** *See* Turner, Brown, Perrotta, Riedy, Nikolopoulos, McDonald, Bagrodia, Thomas, and Leventhal.

**Baillie, D.L.** *See* Ono, Baillie, and Benian.

**Bailly, M., Macaluso, F., Cammer, M., Chan, A., Segall, J.E., and Condeelis, J.S.** Relationship between Arp2/3 complex and the barbed ends of actin filaments at the leading edge of carcinoma cells after epidermal growth factor stimulation. 331.

**Baird, B.** *See* Sheets, Holowka, and Baird.

**Baker, S.M.** *See* Woods, Hodges, Baart, Baker, Liskay, and Hunt.

**Baumgartner, S.** *See* Martin, Zusman, Li, Williams, Khare, DaRocha, Chiquet-Ehrismann, and Baumgartner.

**Beatty, W.L., Méresse, S., Gounon, P., Davoust, J., Mounier, J., Sansonetti, P.J., and Gorvel, J.-P.** Trafficking of *Shigella* lipopolysaccharide in polarized intestinal epithelial cells. 689.

**Belmont, A.S.** *See* Tumbar, Sudlow, and Belmont.

**Belov, Y.Y.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.

**Benian, G.M.** *See* Ono, Baillie, and Benian.

**Bennett, V.** *See* Fukata, Oshiro, Kinoshita, Kawano, Matsuoka, Bennett, Matsuura, and Kaibuchi.

**Bennink, J.R.** *See* Tortorella, Story, Huppa, Wiertz, Jones, Bacik, Bennink, Yewdell, and Ploegh.

**Bentley, D.** *See* Lau, Zucker, and Bentley.

**Benz, E.J., Jr.** *See* Mattagajasingh, Huang, Hartenstein, Snyder, Marchesi, and Benz.

**Bergeron, J.J.M.** *See* Dominguez, Fazel, Dahan, Lovell, Hermo, Claude, Melançon, and Bergeron.

**Berrueta, L.** *See* Tirnauer, O'Toole, Berrueta, Bierer, and Pellman.

**Berthold, C.-H.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.

**Betsholtz, C.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.

**Bevis, B.J.** *See* Rossanese, Soderholm, Bevis, Sears, O'Connor, Williamson, and Glick.

**Beyaert, R.** *See* Heyninck, De Valck, Vanden Berghe, Van Criekinge, Contreras, Fiers, Haegeman, and Beyaert.

**Bhakta, S.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.

**Bickmore, W.A.** *See* Croft, Bridger, Boyle, Perry, Teague, and Bickmore.

**Bierer, B.E.** *See* Tirnauer, O'Toole, Berrueta, Bierer, and Pellman.

**Bijlmakers, M.-J.J.E., and Marsh, M.** Trafficking of an acylated cytosolic protein: Newly synthesized $p56^{lck}$ travels to the plasma membrane via the exocytic pathway. 457.

**Birge, R.B.** *See* Oktay, Wary, Dans, Birge, and Giancotti.

**Bischoff, F.R.** *See* Paraskeva, Izaurralde, Bischoff, Huber, Kutay, Hartmann, Lührmann, and Görlich.

**Bistrup, A., Bhakta, S., Lee, J.K., Belov, Y.Y., Gunn, M.D., Zuo, F.-R., Huang, C.-C., Kannagi, R., Rosen, S.D., and Hemmerich, S.** Sulfotransferases of two specificities function in the reconstruction of high endothelial cell ligands for L-selectin. 899.

**Blackburn, E.H.** *See* Smith and Blackburn.

**Blagoveshchenskaya, A.D., Hewitt, E.W., and Cutler, D.F.** A complex web of signal-dependent trafficking underlies the triorganellar distribution of P-selectin in neuroendocrine PC12 cells. 1419.

**Blobel, G.** *See* Pemberton, Rosenblum, and Blobel.

**Blystone, S.D., Slater, S.E., Williams, M.P., Crow, M.T., and Brown, E.J.** A molecular mechanism of integrin crosstalk: $\alpha_v\beta_3$ Suppression of calcium/calmodulin-dependent protein kinase II regulates $\alpha_5\beta_1$ function. 889.

**Boitier, E., Rea, R., and Duchen, M.R.** Mitochondria exert a negative feedback on the propagation of intracellular $Ca^{2+}$ waves in rat cortical astrocytes. 795.

**Bonifacino, J.S., and Dell'Angelica, E.C.** Molecular bases for the recognition of tyrosine-based sorting signals. 923.

**Bonini, S.** *See* Pellegrini, Golisano, Paterna, Lambiase, Bonini, Rama, and De Luca.

**Boonstra, J.** *See* Keresztes and Boonstra.

**Borisy, G.G.** *See* Svitkina and Borisy.

**Bornens, M.** *See* Infante, Ramos-Morales, Fedriani, Bornens, and Rios.

**Boyd, J.T.** *See* Sells, Boyd, and Chernoff.

**Boyle, S.** *See* Croft, Bridger, Boyle, Perry, Teague, and Bickmore.

**Boyle, W.J.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.

**Bray, P.G., Janneh, O., Raynes, K.J., Mungthin, M., Ginsburg, H., and Ward, S.A.** Cellular uptake of chloroquine is dependent on binding to ferriprotoporphyrin IX and is independent of NHE activity in *Plasmodium falciparum*. 363.

**Bridger, J.M.** *See* Croft, Bridger, Boyle, Perry, Teague, and Bickmore.

**Brown, E.J.** *See* Blystone, Slater, Williams, Crow, and Brown.

**Brown, M.C.** *See* Turner, Brown, Perrotta, Riedy, Nikolopoulos, McDonald, Bagrodia, Thomas, and Leventhal.

**Brümmendorf, T.** *See* Marg, Sirim, Spaltmann, Plagge, Kauselmann, Buck, Rathjen, and Brümmendorf.

**Brunken, W.J.** *See* Koch, Olson, Albus, Jin, Hunter, Brunken, Burgeson, and Champliaud.

**Buck, F.** *See* Marg, Sirim, Spaltmann, Plagge, Kauselmann, Buck, Rathjen, and Brümmendorf.

**Burgeson, R.E.** *See* Koch, Olson, Albus, Jin, Hunter, Brunken, Burgeson, and Champliaud.

**Burgess, T.L., Qian, Y.-x., Kaufman, S., Ring, B.D., Van, G., Capparelli, C., Kelley, M., Hsu, H., Boyle, W.J., Dunstan, C.R., Hu, S., and Lacey, D.L.** The ligand for osteoprotegerin (OPGL) directly activates mature osteoclasts. 527.
**Buxbaum, R.E.** *See* Heidemann, Kaech, Buxbaum, and Matus.

C

**Caldwell, H.** *See* Millward-Sadler, Wright, Lee, Nishida, Caldwell, Nuki, and Salter.
**Camier, S.** *See* Dechampesme, Koroleva, Leger-Silvestre, Gas, and Camier.
**Cammer, M.** *See* Bailly, Macaluso, Cammer, Chan, Segall, and Condeelis.
**Campbell, K.P.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
**Cantrell, D.** *See* Astoul, Watton, and Cantrell.
**Capparelli, C.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Carbonetto, S.** *See* Montanaro, Lindenbaum, and Carbonetto.
**Carozzi, A.** *See* Luetterforst, Stang, Zorzi, Carozzi, Way, and Parton.
**Carpenter, C.** *See* Kost, Lemichez, Spielhofer, Hong, Tolias, Carpenter, and Chua.
**Carson, D.D.** *See* French, Smith, Akanbi, Sanford, Hecht, Farach-Carson, and Carson.
**Carter, W.G.** *See* Ryan, Lee, Miyashita, and Carter.
**Chamberlain, J.S.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
**Champliaud, M.-F.** *See* Koch, Olson, Albus, Jin, Hunter, Brunken, Burgeson, and Champliaud.
**Chan, A.** *See* Bailly, Macaluso, Cammer, Chan, Segall, and Condeelis.
**Chan, C.S.M.** *See* Kim, Kang, and Chan.
**Chao, M.V.** *See* Osterhout, Wolven, Wolf, Resh, and Chao.
**Chapkin, R.S.** *See* Murray, Davidson, Chapkin, Gustafson, Schattenberg, and Fields.
**Chen, J.** *See* Taooka, Chen, Yednock, and Sheppard.
**Chernoff, J.** *See* Sells, Boyd, and Chernoff.
**Chi, M.M.-Y.** *See* Hughes, Chi, Lowry, and Gundersen.
**Chiquet-Ehrismann, R.** *See* Martin, Zusman, Li, Williams, Khare, DaRocha, Chiquet-Ehrismann, and Baumgartner.
— *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Chua, N.-H.** *See* Kost, Lemichez, Spielhofer, Hong, Tolias, Carpenter, and Chua.
**Chun, J.** *See* Marszalek, Weiner, Farlow, Chun, and Goldstein.
**Claude, A.** *See* Dominguez, Fazel, Dahan, Lovell, Hermo, Claude, Melançon, and Bergeron.
**Colognato, H., Winkelmann, D.A., and Yurchenco, P.D.** Laminin polymerization induces a receptor–cytoskeleton network. 619.
**Condeelis, J.S.** *See* Bailly, Macaluso, Cammer, Chan, Segall, and Condeelis.
**Contreras, R.** *See* Heyninck, De Valck, Vanden Berghe, Van Criekinge, Contreras, Fiers, Haegeman, and Beyaert.
**Costantini, F.** *See* Fagotto, Jho, Zeng, Kurth, Joos, Kaufmann, and Constantini.
**Cowan, N.J.** *See* Hansen, Cowan, and Welch.
**Cox, A.D.** *See* Keely, Rusyn, Cox, and Parise.
**Croft, J.A., Bridger, J.M., Boyle, S., Perry, P., Teague, P., and Bickmore, W.A.** Differences in the localization and morphology of chromosomes in the human nucleus. 1119.
**Crosbie, R.H., Lebakken, C.S., Holt, K.H., Venzke, D.P., Straub, V., Lee, J.C., Grady, R.M., Chamberlain, J.S., Sanes, J.R., and Campbell, K.P.** Membrane targeting and stabilization of sarcospan is mediated by the sarcoglycan subcomplex. 153.
**Crotwell, M.** *See* Roberg, Crotwell, Espenshade, Gimeno, and Kaiser.
**Crow, M.T.** *See* Blystone, Slater, Williams, Crow, and Brown.
**Cutler, D.F.** *See* Blagoveshchenskaya, Hewitt, and Cutler.

D

**Dahan, S.** *See* Dominguez, Fazel, Dahan, Lovell, Hermo, Claude, Melançon, and Bergeron.
**Dahlin, K.** *See* Nishiyama, Dahlin, Prince, Johnstone, and Stallcup.
**Dans, M.** *See* Oktay, Wary, Dans, Birge, and Giancotti.
**Daro, E.A.** *See* Sheff, Daro, Hull, and Mellman.
**DaRocha, S.** *See* Martin, Zusman, Li, Williams, Khare, DaRocha, Chiquet-Ehrismann, and Baumgartner.
**Davidson, L.A.** *See* Murray, Davidson, Chapkin, Gustafson, Schattenberg, and Fields.
**Davoust, J.** *See* Beatty, Méresse, Gounon, Davoust, Mounier, Sansonetti, and Gorvel.
**Dawe, R.K.** *See* Yu, Muszynski, and Dawe.
**Dechampesme, A.-M., Koroleva, O., Leger-Silvestre, I., Gas, N., and Camier, S.** Assembly of 5S ribosomal RNA is required at a specific step of the pre-rRNA processing pathway. 1369.
**Deerinck, T.J.** *See* Huang, Wang, Ma, Durick, Perkins, Deerinck, Ellisman, and Taylor.
**Delamarre, L.** *See* Rosenberg, Delamarre, Pique, Le Blanc, Griffith, and Dokhélar.
**del Carmen de Marco, M.** *See* Puertollano, Martín-Belmonte, Millán, del Carmen de Marco, Albar, Kremer, and Alonso.
**Dell'Angelica, E.C.** *See* Bonifacino and Dell'Angelica.
**De Luca, M.** *See* Pellegrini, Golisano, Paterna, Lambiase, Bonini, Rama, and De Luca.
**DeMartino, G.N.** *See* Wigley, Fabunmi, Lee, Marino, Muallem, DeMartino, and Thomas.
**Dembo, M.** *See* Oliver, Dembo, and Jacobson.
**De Valck, D.** *See* Heyninck, De Valck, Vanden Berghe, Van Criekinge, Contreras, Fiers, Haegeman, and Beyaert.
**Dickmanns, A.** *See* Kehlenbach, Dickmanns, Kehlenbach, Guan, and Gerace.
**Dimitrov, S.** *See* Houchmandzadeh and Dimitrov.
**Dokhélar, M.-C.** *See* Rosenberg, Delamarre, Pique, Le Blanc, Griffith, and Dokhélar.
**Dominguez, M., Fazel, A., Dahan, S., Lovell, J., Hermo, L., Claude, A., Melançon, P., and Bergeron, J.J.M.** Fusogenic domains of Golgi membranes are sequestered into specialized regions of the stack that can be released by mechanical fragmentation. 673.
**Dreyfuss, G.** *See* Kataoka, Bachorik, and Dreyfuss.
**Drubin, D.G.** *See* Rodal, Tetreault, Lappalainen, Drubin, and Amberg.
**Duchen, M.R.** *See* Boitier, Rea, and Duchen.
**Dunstan, C.R.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Durán, A.** *See* Trilla, Durán, and Roncero.
**Durick, K.** *See* Huang, Wang, Ma, Durick, Perkins, Deerinck, Ellisman, and Taylor.
**Dyck, J.A.** *See* Yeakley, Tronchère, Olesen, Dyck, Wang, and Fu.

E

**Eferl, R., Sibilia, M., Hilberg, F., Fuchsbichler, A., Kufferath, I., Guertl, B., Zenz, R., Wagner, E.F., and Zatloukal, K.** Functions of c-Jun in liver and heart development. 1049.
**Eichinger, L.** *See* Karakesisoglou, Janssen, Eichinger, Noegel, and Schleicher.
**Eliasson, C.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.
**Ellisman, M.H.** *See* Huang, Wang, Ma, Durick, Perkins, Deerinck, Ellisman, and Taylor.
**Espenshade, P.** *See* Roberg, Crotwell, Espenshade, Gimeno, and Kaiser.

F

**Fabunmi, R.P.** *See* Wigley, Fabunmi, Lee, Marino, Muallem, DeMartino, and Thomas.
**Fagotto, F., Jho, E.-h., Zeng, L., Kurth, T., Joos, T., Kaufmann, C., and Costantini, F.** Domains of Axin involved in protein–protein interactions, Wnt pathway inhibition, and intracellular localization. 741.
**Farach-Carson, M.C.** *See* French, Smith, Akanbi, Sanford, Hecht, Farach-Carson, and Carson.
**Farlow, S.J.** *See* Marszalek, Weiner, Farlow, Chun, and Goldstein.
**Farquhar, M.G.** *See* Lin, Yao, Hofmeister, Tsien, and Farquhar.
**Fässler, R.** *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Fazel, A.** *See* Dominguez, Fazel, Dahan, Lovell, Hermo, Claude, Melançon, and Bergeron.
**Fedriani, C.** *See* Infante, Ramos-Morales, Fedriani, Bornens, and Rios.

**Feng, K.** *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Fields, A.P.** *See* Murray, Davidson, Chapkin, Gustafson, Schattenberg, and Fields.
**Fiers, W.** *See* Heyninck, De Valck, Vanden Berghe, Van Criekinge, Contreras, Fiers, Haegeman, and Beyaert.
**Filippini, A.** *See* Tripiciano, Peluso, Morena, Palombi, Stefanini, Ziparo, Yanagisawa, and Filippini.
**Finnegan, C.M.** *See* Tuma, Finnegan, Yi, and Hubbard.
**Fischer von Mollard, G.** *See* Ungermann, Fischer von Mollard, Jensen, Margolis, Stevens, and Wickner.
**Fisk, H.A., and Yaffe, M.P.** A role for ubiquitination in mitochondrial inheritance in *Saccharomyces cerevisiae.* 1199.
**Formenti, E.** *See* Fraschini, Formenti, Lucchini, and Piatti.
**Fornerod, M.** *See* Pritchard, Fornerod, Kasper, and van Deursen.
**Fraschini, R., Formenti, E., Lucchini, G., and Piatti, S.** Budding yeast Bub2 is localized at spindle pole bodies and activates the mitotic checkpoint via a different pathway from Mad2. 979.
**Frémion, F., Astier, M., Zaffran, S., Guillèn, A., Homburger, V., and Sémériva, M.** The heterotrimeric protein $G_o$ is required for the formation of heart epithelium in *Drosophila.* 1063.
**French, M.M., Smith, S.E., Akanbi, K., Sanford, T., Hecht, J., Farach-Carson, M.C., and Carson, D.D.** Expression of the heparan sulfate proteoglycan perlecan, during mouse embryogenesis and perlecan chondrogenic activity in vitro. 1103.
**Frisén, J.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.
**Froehner, S.C.** *See* Kachinsky, Froehner, and Milgram.
**Fröhlich, E.** *See* Madeo, Fröhlich, Ligr, Grey, Sigrist, Wolf, and Fröhlich.
**Fröhlich, K.-U.** *See* Madeo, Fröhlich, Ligr, Grey, Sigrist, Wolf, and Fröhlich.
**Fu, X.-D.** *See* Yeakley, Tronchère, Olesen, Dyck, Wang, and Fu.
**Fuchsbichler, A.** *See* Eferl, Sibilia, Hilberg, Fuchsbichler, Kufferath, Guertl, Zenz, Wagner, and Zatloukal.
**Fujimoto, K.** *See* Morita, Sasaki, Fujimoto, Furuse, and Tsukita.
**Fukata, Y., Oshiro, N., Kinoshita, N., Kawano, Y., Matsuoka, Y., Bennett, V., Matsuura, Y., and Kaibuchi, K.** Phosphorylation of adducin by Rho-kinase plays a crucial role in cell motility. 347.
**Furuse, M.** *See* Morita, Sasaki, Fujimoto, Furuse, and Tsukita.

## G

**Gas, N.** *See* Dechampesme, Koroleva, Leger-Silvestre, Gas, and Camier.
**Gentzsch, L.** *See* Sanders, Gentzsch, Tanner, and Herskowitz.
**Gerace, L.** *See* Kehlenbach, Dickmanns, Kehlenbach, Guan, and Gerace.
**Gerlich, W.H.** *See* Kann, Sodeik, Vlachou, Gerlich, and Helenius.
**Ghitescu, L.** *See* Stan, Ghitescu, Jacobson, and Palade.
**Giancotti, F.G.** *See* Oktay, Wary, Dans, Birge, and Giancotti.
**Gijón, M.A., Spencer, D.M., Kaiser, A.L., and Leslie, C.C.** Role of phosphorylation sites and the C2 domain in regulation of cytosolic phospholipase $A_2$. 1219.
**Gimeno, R.** *See* Roberg, Crotwell, Espenshade, Gimeno, and Kaiser.
**Ginsburg, H.** *See* Bray, Janneh, Raynes, Mungthin, Ginsburg, and Ward.
**Glick, B.S.** *See* Rossanese, Soderholm, Bevis, Sears, O'Connor, Williamson, and Glick.
**Goldstein, L.S.B.** *See* Marszalek, Weiner, Farlow, Chun, and Goldstein.
**Golisano, O.** *See* Pellegrini, Golisano, Paterna, Lambiase, Bonini, Rama, and De Luca.
**Görlich, D.** *See* Paraskeva, Izaurralde, Bischoff, Huber, Kutay, Hartmann, Lührmann, and Görlich.
**Gorvel, J.-P.** *See* Beatty, Méresse, Gounon, Davoust, Mounier, Sansonetti, and Gorvel.
**Goud, B.** *See* Mallard, Antony, Tenza, Salamero, Goud, and Johannes.
**Gounon, P.** *See* Beatty, Méresse, Gounon, Davoust, Mounier, Sansonetti, and Gorvel.
**Grady, R.M.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
**Grancell, A.S.** *See* Russell, Grancell, and Sorger.
**Greenwald, I.** *See* Wen and Greenwald.
**Grey, M.** *See* Madeo, Fröhlich, Ligr, Grey, Sigrist, Wolf, and Fröhlich.
**Griffith, G.** *See* Rosenberg, Delamarre, Pique, Le Blanc, Griffith, and Dokhélar.
**Gröning, K.** *See* Krämer, Grüter, Gröning, and Kastner.
**Grüter, P.** *See* Krämer, Grüter, Gröning, and Kastner.
**Guan, T.** *See* Kehlenbach, Dickmanns, Kehlenbach, Guan, and Gerace.
**Guertl, B.** *See* Eferl, Sibilia, Hilberg, Fuchsbichler, Kufferath, Guertl, Zenz, Wagner, and Zatloukal.
**Guillèn, A.** *See* Frémion, Astier, Zaffran, Guillèn, Homburger, and Sémériva.
**Gundersen, K.** *See* Hughes, Chi, Lowry, and Gundersen.
**Gunn, M.D.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.
**Gustafson, W.C.** *See* Murray, Davidson, Chapkin, Gustafson, Schattenberg, and Fields.

## H

**Haegeman, G.** *See* Heyninck, De Valck, Vanden Berghe, Van Criekinge, Contreras, Fiers, Haegeman, and Beyaert.
**Hall, R.A., Premont, R.T., and Lefkowitz, R.J.** Heptahelical receptor signaling: Beyond the G protein paradigm. 927.
**Hannun, Y.A.** *See* Zhang, Reedy, Hannun, and Obeid.
**Hansen, W.J., Cowan, N.J., and Welch, W.J.** Prefolding–nascent chain complexes in the folding of cytoskeleton proteins. 265.
**Hardisson, C.** *See* Miguélez, Hardisson, and Manzanal.
**Hartenstein, J.S.** *See* Mattagajasingh, Huang, Hartenstein, Snyder, Marchesi, and Benz.
**Hartmann, E.** *See* Paraskeva, Izaurralde, Bischoff, Huber, Kutay, Hartmann, Lührmann, and Görlich.
**Hayashi, K., Takahashi, M., Kimura, K., Nishida, W., Saga, H., and Sobue, K.** Changes in the balance of phosphoinositide 3-kinase/protein kinase B (Akt) and the mitogen-activated protein kinases (ERK/p38MAPK) determine a phenotype of visceral and vascular smooth muscle cells. 727.
**Hecht, J.** *See* French, Smith, Akanbi, Sanford, Hecht, Farach-Carson, and Carson.
**Heidemann, S.R., Kaech, S., Buxbaum, R.E., and Matus, A.** Direct observations of the mechanical behaviors of the cytoskeleton in living fibroblasts. 109.
**Helenius, A.** *See* Kann, Sodeik, Vlachou, Gerlich, and Helenius.
**Hemmerich, S.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.
**Hermo, L.** *See* Dominguez, Fazel, Dahan, Lovell, Hermo, Claude, Melançon, and Bergeron.
**Herskowitz, I.** *See* Sanders, Gentzsch, Tanner, and Herskowitz.
**Hewitt, E.W.** *See* Blagoveshchenskaya, Hewitt, and Cutler.
**Heyninck, K., De Valck, D., Vanden Berghe, W., Van Criekinge, W., Contreras, R., Fiers, W., Haegeman, G., and Beyaert, R.** The zinc finger protein A20 inhibits TNF-induced NF-κB–dependent gene expression by interfering with an RIP- or TRAF2-mediated transactivation signal and directly binds to a novel NF-κB–inhibiting protein ABIN. 1471.
**Hieter, P.** *See* Hyland, Kingsbury, Koshland, and Hieter.
**Hilberg, F.** *See* Eferl, Sibilia, Hilberg, Fuchsbichler, Kufferath, Guertl, Zenz, Wagner, and Zatloukal.
**Hiraoka, Y.** *See* Yamamoto, West, McIntosh, and Hiraoka.
**Hirokawa, N.** *See* Takeda, Yonekawa, Tanaka, Okada, Nonaka, and Hirokawa.
— *See* Terada, Tsujimoto, Takei, Takahashi, and Hirokawa.
**Hodges, C.A.** *See* Woods, Hodges, Baart, Baker, Liskay, and Hunt.
**Hofmeister, R.** *See* Lin, Yao, Hofmeister, Tsien, and Farquhar.
**Holowka, D.** *See* Sheets, Holowka, and Baird.
**Holt, K.H.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
**Homburger, V.** *See* Frémion, Astier, Zaffran, Guillèn, Homburger, and Sémériva.
**Hong, Y.** *See* Kost, Lemichez, Spielhofer, Hong, Tolias, Carpenter, and Chua.
**Houchmandzadeh, B., and Dimitrov, S.** Elasticity measurements show the existence of thin rigid cores inside mitotic chromosomes. 215.
**Hsu, H.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Hu, S.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Huang, C.-C.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.
**Huang, L.J., Wang, L., Ma, Y., Durick, K., Perkins, G., Deerinck, T.J., Ellisman, M.H., and Taylor, S.S.** $NH_2$-terminal targeting motifs direct dual specificity A-kinase–anchoring protein 1 (D-AKAP1) to either mitochondria or endoplasmic reticulum. 951.

**Huang, S.-C.** *See* Mattagajasingh, Huang, Hartenstein, Snyder, Marchesi, and Benz.
**Hubbard, A.L.** *See* Tuma, Finnegan, Yi, and Hubbard.
**Huber, J.** *See* Paraskeva, Izaurralde, Bischoff, Huber, Kutay, Hartmann, Lührmann, and Görlich.
**Hughes, S.M., Chi, M.M.-Y., Lowry, O.H., and Gundersen, K.** Myogenin induces a shift of enzyme activity from glycolytic to oxidative metabolism in muscles of transgenic mice. 633.
**Hull, M.** *See* Sheff, Daro, Hull, and Mellman.
**Hunt, P.A.** *See* Woods, Hodges, Baart, Baker, Liskay, and Hunt.
**Hunter, D.D.** *See* Koch, Olson, Albus, Jin, Hunter, Brunken, Burgeson, and Champliaud.
**Huppa, J.B.** *See* Tortorella, Story, Huppa, Wiertz, Jones, Bacik, Bennink, Yewdell, and Ploegh.
**Hyland, K.M., Kingsbury, J., Koshland, D., and Hieter, P.** Ctf19p: A novel kinetochore protein in *Saccharomyces cerevisiae* and a potential link between the kinetochore and mitotic spindle. 15.

I

**Infante, C., Ramos-Morales, F., Fedriani, C., Bornens, M., and Rios, R.M.** GMAP-210, A cis-Golgi network-associated protein, is a minus end microtubule-binding protein. 83.
**Izaurralde, E.** *See* Paraskeva, Izaurralde, Bischoff, Huber, Kutay, Hartmann, Lührmann, and Görlich.

J

**Jacobson, B.S.** *See* Stan, Ghitescu, Jacobson, and Palade.
**Jacobson, K.** *See* Oliver, Dembo, and Jacobson.
**James, W.M.** *See* Sauvé, Anderson, Ray, James, and Roberge.
**Janicki, S.M.** *See* Stabler, Ostrowski, Janicki, and Monteiro.
**Janneh, O.** *See* Bray, Janneh, Raynes, Mungthin, Ginsburg, and Ward.
**Janssen, K.-P.** *See* Karakesisoglou, Janssen, Eichinger, Noegel, and Schleicher.
**Jensen, O.N.** *See* Ungermann, Fischer von Mollard, Jensen, Margolis, Stevens, and Wickner.
**Jho, E.-h.** *See* Fagotto, Jho, Zeng, Kurth, Joos, Kaufmann, and Constantini.
**Jin, W.** *See* Koch, Olson, Albus, Jin, Hunter, Brunken, Burgeson, and Champliaud.
**Johannes, L.** *See* Mallard, Antony, Tenza, Salamero, Goud, and Johannes.
**Johansson, C.B.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.
**Johnstone, S.** *See* Nishiyama, Dahlin, Prince, Johnstone, and Stallcup.
**Jolly, C., Vourc'h, C., Robert-Nicoud, M., and Morimoto, R.I.** Intron-independent association of splicing factors with active genes. 1133.
**Jones, T.R.** *See* Tortorella, Story, Huppa, Wiertz, Jones, Bacik, Bennink, Yewdell, and Ploegh.
**Joos, T.** *See* Fagotto, Jho, Zeng, Kurth, Joos, Kaufmann, and Constantini.

K

**Kachinsky, A.M., Froehner, S.C., and Milgram, S.L.** A PDZ-containing scaffold related to the dystrophin complex at the basolateral membrane of epithelial cells. 391.
**Kaech, S.** *See* Heidemann, Kaech, Buxbaum, and Matus.
**Kaibuchi, K.** *See* Fukata, Oshiro, Kinoshita, Kawano, Matsuoka, Bennett, Matsuura, and Kaibuchi.
**Kaiser, A.L.** *See* Gijón, Spencer, Kaiser, and Leslie.
**Kaiser, C.A.** *See* Roberg, Crotwell, Espenshade, Gimeno, and Kaiser.
**Kang, J.-s.** *See* Kim, Kang, and Chan.
**Kann, M., Sodeik, B., Vlachou, A., Gerlich, W.H., and Helenius, A.** Phosphorylation-dependent binding of hepatitis B virus core particles to the nuclear pore complex. 45.
**Kannagi, R.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.
**Karakesisoglou, I., Janssen, K.-P., Eichinger, L., Noegel, A.A., and Schleicher, M.** Identification of a suppressor of the *Dictyostelium* profilin-minus phenotype as a CD36/LIMP-II homologue. 167.
**Karaplis, A.** *See* Serra, Karaplis, and Sohn.
**Kasper, L.H.** *See* Pritchard, Fornerod, Kasper, and van Deursen.
**Kastner, B.** *See* Krämer, Grüter, Gröning, and Kastner.
**Kataoka, N., Bachorik, J.L., and Dreyfuss, G.** Transportin-SR, A nuclear import receptor for SR proteins. 1145.
**Kaufman, S.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Kaufmann, C.** *See* Fagotto, Jho, Zeng, Kurth, Joos, Kaufmann, and Constantini.
**Kauselmann, G.** *See* Marg, Sirim, Spaltmann, Plagge, Kauselmann, Buck, Rathjen, and Brümmendorf.
**Kawano, Y.** *See* Fukata, Oshiro, Kinoshita, Kawano, Matsuoka, Bennett, Matsuura, and Kaibuchi.
**Kay, S.A.** *See* Yamaguchi, Nakamura, Mochizuki, Kay, and Nagatani.
**Keely, P.J., Rusyn, E.V., Cox, A.D., and Parise, L.V.** R-Ras signals through specific integrin α cytoplasmic domains to promote migration and invasion of breast epithelial cells. 1077.
**Kehlenbach, A.** *See* Kehlenbach, Dickmanns, Kehlenbach, Guan, and Gerace.
**Kehlenbach, R.H, Dickmanns, A., Kehlenbach, A., Guan, T., and Gerace, L.** A role for RanBP1 in the release of CRM1 from the nuclear pore complex in a terminal step of nuclear export. 645.
**Kelley, M.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Keresztes, M., and Boonstra, J.** Import(ance) of growth factors in(to) the nucleus. 421.
**Khare, N.** *See* Martin, Zusman, Li, Williams, Khare, DaRocha, Chiquet-Ehrismann, and Baumgartner.
**Kilmartin, J.V.** *See* Adams and Kilmartin.
**Kim, J.-h., Kang, J.-s., and Chan, C.S.M.** Sli15 associates with the Ipl1 protein kinase to promote proper chromosome segregation in *Saccharomyces cerevisiae*. 1381.
**Kimura, K.** *See* Hayashi, Takahashi, Kimura, Nishida, Saga, and Sobue.
**Kingsbury, J.** *See* Hyland, Kingsbury, Koshland, and Hieter.
**Kinoshita, N.** *See* Fukata, Oshiro, Kinoshita, Kawano, Matsuoka, Bennett, Matsuura, and Kaibuchi.
**Koch, M., Olson, P.F., Albus, A., Jin, W., Hunter, D.D., Brunken, W.J., Burgeson, R.E., and Champliaud, M.-F.** Characterization and expression of the laminin γ3 chain: A novel, non-basement membrane–associated, laminin chain. 605.
**Koroleva, O.** *See* Dechampesme, Koroleva, Leger-Silvestre, Gas, and Camier.
**Koshland, D.** *See* Hyland, Kingsbury, Koshland, and Hieter.
**Kost, B., Lemichez, E., Spielhofer, P., Hong, Y., Tolias, K., Carpenter, C., and Chua, N.-H.** Rac homologues and compartmentalized phosphatidylinositol 4, 5-bisphosphate act in a common pathway to regulate polar pollen tube growth. 317.
**Krämer, A., Grüter, P., Gröning, K., and Kastner, B.** Combined biochemical and electron microscopic analyses reveal the architecture of the mammalian U2 snRNP. 1355.
**Kremer, L.** *See* Puertollano, Martín-Belmonte, Millán, del Carmen de Marco, Albar, Kremer, and Alonso.
**Kufferath, I.** *See* Eferl, Sibilia, Hilberg, Fuchsbichler, Kufferath, Guertl, Zenz, Wagner, and Zatloukal.
**Kurth, T.** *See* Fagotto, Jho, Zeng, Kurth, Joos, Kaufmann, and Constantini.
**Kutay, U.** *See* Paraskeva, Izaurralde, Bischoff, Huber, Kutay, Hartmann, Lührmann, and Görlich.

L

**Lacey, D.L.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Lambiase, A.** *See* Pellegrini, Golisano, Paterna, Lambiase, Bonini, Rama, and De Luca.
**Lappalainen, P.** *See* Rodal, Tetreault, Lappalainen, Drubin, and Amberg.
**Larsson, C.** *See* Zeidman, Löfgren, Påhlman, and Larsson.
**Lau, P., Zucker, R.S., and Bentley, D.** Induction of filopodia by direct local elevation of intracellular calcium ion concentration. 1265.
**Lebakken, C.S.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
**Le Blanc, I.** *See* Rosenberg, Delamarre, Pique, Le Blanc, Griffith, and Dokhélar.
**Lee, H.-S.** *See* Millward-Sadler, Wright, Lee, Nishida, Caldwell, Nuki, and Salter.

**Lee, J.C.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
**Lee, J.K.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.
**Lee, K.** *See* Ryan, Lee, Miyashita, and Carter.
**Lee, M.G.** *See* Wigley, Fabunmi, Lee, Marino, Muallem, DeMartino, and Thomas.
**Lefkowitz, R.J.** *See* Hall, Premont, and Lefkowitz.
**Leger-Silvestre, I.** *See* Dechampesme, Koroleva, Leger-Silvestre, Gas, and Camier.
**Lemichez, E.** *See* Kost, Lemichez, Spielhofer, Hong, Tolias, Carpenter, and Chua.
**Lendahl, U.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.
**Leslie, C.C.** *See* Gijón, Spencer, Kaiser, and Leslie.
**Leventhal, P.S.** *See* Turner, Brown, Perrotta, Riedy, Nikolopoulos, McDonald, Bagrodia, Thomas, and Leventhal.
**Li, X.** *See* Martin, Zusman, Li, Williams, Khare, DaRocha, Chiquet-Ehrismann, and Baumgartner.
**Ligr, M.** *See* Madeo, Fröhlich, Ligr, Grey, Sigrist, Wolf, and Fröhlich.
**Lin, P., Yao, Y., Hofmeister, R., Tsien, R.Y., and Farquhar, M.G.** Overexpression of CALNUC (nucleobindin) increases agonist and thapsigargin releasable $Ca^{2+}$ storage in the Golgi. 279.
**Lindenbaum, M.** *See* Montanaro, Lindenbaum, and Carbonetto.
**Liskay, M.** *See* Woods, Hodges, Baart, Baker, Liskay, and Hunt.
**Löfgren, B.** *See* Zeidman, Löfgren, Påhlman, and Larsson.
**Lovell, J.** *See* Dominguez, Fazel, Dahan, Lovell, Hermo, Claude, Melançon, and Bergeron.
**Lowry, O.H.** *See* Hughes, Chi, Lowry, and Gundersen.
**Lucchini, G.** *See* Fraschini, Formenti, Lucchini, and Piatti.
**Luetterforst, R., Stang, E., Zorzi, N., Carozzi, A., Way, M., and Parton, R.G.** Molecular characterization of caveolin association with the Golgi complex: Identification of a cis-Golgi targeting domain in the caveolin molecule. 1443.
**Lührmann, R.** *See* Paraskeva, Izaurralde, Bischoff, Huber, Kutay, Hartmann, Lührmann, and Görlich.

## M

**Ma, Y.** *See* Huang, Wang, Ma, Durick, Perkins, Deerinck, Ellisman, and Taylor.
**Maarse, A.C.** *See* Merlin, Voos, Maarse, Meijer, Pfanner, and Rassow.
**Macaluso, F.** *See* Bailly, Macaluso, Cammer, Chan, Segall, and Condeelis.
**Madeo, F., Fröhlich, E., Ligr, M., Grey, M., Sigrist, S.J., Wolf, D.H., and Fröhlich, K.-U.** Oxygen stress: A regulator of apoptosis in yeast. 757.
**Mallard, F., Antony, C., Tenza, D., Salamero, J., Goud, B., and Johannes, L.** Direct pathway from early/recycling endosomes to the golgi apparatus revealed through the study of Shiga toxin B-fragment transport [143(4):973]: Correction. 1521.
**Mandai, K.** *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Manzanal, M.B.** *See* Miguélez, Hardisson, and Manzanal.
**Marchesi, V.T.** *See* Mattagajasingh, Huang, Hartenstein, Snyder, Marchesi, and Benz.
**Marg, A., Sirim, P., Spaltmann, F., Plagge, A., Kauselmann, G., Buck, F., Rathjen, F.G., and Brümmendorf, T.** Neurotractin, A novel neurite outgrowth-promoting Ig-like protein that interacts with CEPU-1 and LAMP. 865.
**Margolis, N.** *See* Ungermann, Fischer von Mollard, Jensen, Margolis, Stevens, and Wickner.
**Marino, C.R.** *See* Wigley, Fabunmi, Lee, Marino, Muallem, DeMartino, and Thomas.
**Marsh, M.** *See* Bijlmakers and Marsh.
**Marszalek, J.R., Weiner, J.A., Farlow, S.J., Chun, J., and Goldstein, L.S.B.** Nove! dendritic kinesin sorting identified by different process targeting of two related kinesins: KIF21A and KIF21B. 469.
**Martin, D., Zusman, S., Li, X., Williams, E.L., Khare, N., DaRocha, S., Chiquet-Ehrismann, R., and Baumgartner, S.** *wing blister*, A new *Drosophila* laminin α chain required for cell adhesion and migration during embryonic and imaginal development. 191.
**Martín-Belmonte, F.** *See* Puertollano, Martín-Belmonte, Millán, del Carmen de Marco, Albar, Kremer, and Alonso.
**Matsuoka, Y.** *See* Fukata, Oshiro, Kinoshita, Kawano, Matsuoka, Bennett, Matsuura, and Kaibuchi.
**Matsuura, Y.** *See* Fukata, Oshiro, Kinoshita, Kawano, Matsuoka, Bennett, Matsuura, and Kaibuchi.
**Mattagajasingh, S.N., Huang, S.-C., Hartenstein, J.S., Snyder, M., Marchesi, V.T., and Benz, E.J., Jr.** A nonerythroid isoform of protein 4.1R interacts with the nuclear mitotic apparatus (NuMA) protein. 29.
**Matus, A.** *See* Heidemann, Kaech, Buxbaum, and Matus.
**McDonald, A.R.** *See* Turner, Brown, Perrotta, Riedy, Nikolopoulos, McDonald, Bagrodia, Thomas, and Leventhal.
**McIntosh, J.R.** *See* Yamamoto, West, McIntosh, and Hiraoka.
**McNally, F.J.** *See* Ahmad, Yu, McNally, and Baas.
**Meeusen, S., Tieu, Q., Wong, E., Weiss, E., Schieltz, D., Yates, J.R., and Nunnari, J.** Mgm101p is a novel component of the mitochondrial nucleoid that binds DNA and is required for the repair of oxidatively damaged mitochondrial DNA. 291.
**Meijer, M.** *See* Merlin, Voos, Maarse, Meijer, Pfanner, and Rassow.
**Melançon, P.** *See* Dominguez, Fazel, Dahan, Lovell, Hermo, Claude, Melançon, and Bergeron.
**Mellman, I.** *See* Sheff, Daro, Hull, and Mellman.
**Méresse, S.** *See* Beatty, Méresse, Gounon, Davoust, Mounier, Sansonetti, and Gorvel.
**Merlin, A., Voos, W., Maarse, A.C., Meijer, M., Pfanner, N., and Rassow, J.** The J-related segment of Tim44 is essential for cell viability: A mutant Tim44 remains in the mitochondrial import site, but inefficiently recruits mtHsp70 and impairs protein translocation. 961.
**Metzger, J.M.** *See* Michele, Albayya, and Metzger.
**Michele, D.E., Albayya, F.P., and Metzger, J.M.** Thin filament protein dynamics in fully differentiated adult cardiac myocytes: Toward a model of sarcomere maintenance. 1483.
**Miguélez, E.M., Hardisson, C., and Manzanal, M.B.** Hyphal death during colony development in *Streptomyces antibioticus*: Morphological evidence for the existence of a process of cell deletion in a multicellular prokaryote. 515.
**Milgram, S.L.** *See* Kachinsky, Froehner, and Milgram.
**Millán, J.** *See* Puertollano, Martín-Belmonte, Millán, del Carmen de Marco, Albar, Kremer, and Alonso.
**Millward-Sadler, S.J., Wright, M.O., Lee, H.-S., Nishida, K., Caldwell, H., Nuki, G., and Salter, D.M.** Integrin-regulated secretion of interleukin 4: A novel pathway of mechanotransduction in human articular chondrocytes. 183.
**Miyahara, M.** *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Miyashita, Y.** *See* Ryan, Lee, Miyashita, and Carter.
**Mizoguchi, A.** *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Mochizuki, N.** *See* Yamaguchi, Nakamura, Mochizuki, Kay, and Nagatani.
**Montanaro, F., Lindenbaum, M., and Carbonetto, S.** α-Dystroglycan is a laminin receptor involved in extracellular matrix assembly on myotubes and muscle cell viability. 1325.
**Monteiro, M.J.** *See* Stabler, Ostrowski, Janicki, and Monteiro.
**Morena, A.R.** *See* Tripiciano, Peluso, Morena, Palombi, Stefanini, Ziparo, Yanagisawa, and Filippini.
**Mörgelin, M.** *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Morimoto, R.I.** *See* Jolly, Vourc'h, Robert-Nicoud, and Morimoto.
**Morita, K., Sasaki, H., Fujimoto, K., Furuse, M., and Tsukita, S.** Claudin-11/OSP-based tight junctions of myelin sheaths in brain and Sertoli cells in testis. 579.
**Mounier, J.** *See* Beatty, Méresse, Gounon, Davoust, Mounier, Sansonetti, and Gorvel.
**Muallem, S.** *See* Wigley, Fabunmi, Lee, Marino, Muallem, DeMartino, and Thomas.
**Mungthin, M.** *See* Bray, Janneh, Raynes, Mungthin, Ginsburg, and Ward.
**Murray, N.R., Davidson, L.A., Chapkin, R.S., Gustafson, W.C., Schattenberg, D.G., and Fields, A.P.** Overexpression of protein kinase C $\beta_{II}$ induces colonic hyperproliferation and increased sensitivity to colon carcinogenesis. 699.
**Muszynski, M.G.** *See* Yu, Muszynski, and Dawe.

## N

**Nagatani, A.** *See* Yamaguchi, Nakamura, Mochizuki, Kay, and Nagatani.
**Nakagawa, S.** *See* Aono, Nakagawa, Reynolds, and Takeichi.
**Nakamura, M.** *See* Yamaguchi, Nakamura, Mochizuki, Kay, and Nagatani.

**Nakanishi, H.** *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Nestor, A.L.** *See* Allison and Nestor.
**Nikolopoulos, S.N.** *See* Turner, Brown, Perrotta, Riedy, Nikolopoulos, McDonald, Bagrodia, Thomas, and Leventhal.
**Nishida, K.** *See* Millward-Sadler, Wright, Lee, Nishida, Caldwell, Nuki, and Salter.
**Nishida, W.** *See* Hayashi, Takahashi, Kimura, Nishida, Saga, and Sobue.
**Nishioka, H.** *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Nishiyama, A., Dahlin, K., Prince, J., Johnstone, S., and Stallcup, W.B.** The primary structure of NG2, a novel membrane-spanning proteoglycan [114(5):359]: Correction. 1117.
**Noegel, A.A.** *See* Karakesisoglou, Janssen, Eichinger, Noegel, and Schleicher.
**Nomoto, A.** *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Nonaka, S.** *See* Takeda, Yonekawa, Tanaka, Okada, Nonaka, and Hirokawa.
**Nuki, G.** *See* Millward-Sadler, Wright, Lee, Nishida, Caldwell, Nuki, and Salter.
**Nunnari, J.** *See* Meeusen, Tieu, Wong, Weiss, Schieltz, Yates, and Nunnari.

O

**Obeid, L.M.** *See* Zhang, Reedy, Hannun, and Obeid.
**O'Connor, J.** *See* Rossanese, Soderholm, Bevis, Sears, O'Connor, Williamson, and Glick.
**Okada, Y.** *See* Takeda, Yonekawa, Tanaka, Okada, Nonaka, and Hirokawa.
**Oktay, M., Wary, K.K., Dans, M., Birge, R.B., and Giancotti, F.G.** Integrin-mediated activation of focal adhesion kinase is required for signaling to Jun $NH_2$-terminal kinase and progression through the G1 phase of the cell cycle. 1461.
**Olesen, J.** *See* Yeakley, Tronchère, Olesen, Dyck, Wang, and Fu.
**Oliver, T., Dembo, M., and Jacobson, K.** Separation of propulsive and adhesive traction stresses in locomoting keratocytes. 589.
**Olson, P.F.** *See* Koch, Olson, Albus, Jin, Hunter, Brunken, Burgeson, and Champliaud.
**Ono, S., Baillie, D.L., and Benian, G.M.** UNC-60B, an ADF/cofilin family protein, is required for proper assembly of actin into myofibrils in *Caenorhabditis elegans* body wall muscle. 491.
**Oohashi, T., Zhou, X.-H., Feng, K., Richter, B., Mörgelin, M., Perez, M.T., Su, W.-D., Chiquet-Ehrismann, R., Rauch, U., and Fässler, R.** Mouse Ten-m/Odz is a new family of dimeric type II transmembrane proteins expressed in many tissues.[S] 563.
**Oshiro, N.** *See* Fukata, Oshiro, Kinoshita, Kawano, Matsuoka, Bennett, Matsuura, and Kaibuchi.
**Osterhout, D.J., Wolven, A., Wolf, R.M., Resh, M.D., and Chao, M.V.** Morphological differentiation of oligodendrocytes requires activation of Fyn tyrosine kinase. 1209.
**Ostrowski, L.L.** *See* Stabler, Ostrowski, Janicki, and Monteiro.
**O'Toole, E.** *See* Tirnauer, O'Toole, Berrueta, Bierer, and Pellman.

P

**Pachter, J.S.** *See* Andjelkovic, Spencer, and Pachter.
**Påhlman, S.** *See* Zeidman, Löfgren, Påhlman, and Larsson.
**Palade, G.E.** *See* Stan, Ghitescu, Jacobson, and Palade.
**Palombi, F.** *See* Tripiciano, Peluso, Morena, Palombi, Stefanini, Ziparo, Yanagisawa, and Filippini.
**Paraskeva, E., Izaurralde, E., Bischoff, F.R., Huber, J., Kutay, U., Hartmann, E., Lührmann, R., and Görlich, D.** CRM1-mediated recycling of snurportin 1 to the cytoplasm. 255.
**Parise, L.V.** *See* Keely, Rusyn, Cox, and Parise.
**Parton, R.G.** *See* Luetterforst, Stang, Zorzi, Carozzi, Way, and Parton.
**Paterna, P.** *See* Pellegrini, Golisano, Paterna, Lambiase, Bonini, Rama, and De Luca.
**Pekny, M., Johansson, C.B., Eliasson, C., Stakeberg, J., Wallén, Å., Perlmann, T., Lendahl, U., Betsholtz, C., Berthold, C.-H., and Frisén, J.** Abnormal reaction to central nervous system injury in mice lacking glial fibrillary acidic protein and vimentin. 503.
**Pellegrini, G., Golisano, O., Paterna, P., Lambiase, A., Bonini, S., Rama, P., and De Luca, M.** Location and clonal analysis of stem cells and their differentiated progeny in the human ocular surface. 769.
**Pellman, D.** *See* Tirnauer, O'Toole, Berrueta, Bierer, and Pellman.
**Peluso, C.** *See* Tripiciano, Peluso, Morena, Palombi, Stefanini, Ziparo, Yanagisawa, and Filippini.
**Pemberton, L.F., Rosenblum, J.S., and Blobel, G.** Nuclear import of the TATA-binding protein: Mediation by the karyopherin Kap114p and a possible mechanism for intranuclear targeting. 1407.
**Peng, H.B., Xie, H., Rossi, S.G., and Rotundo, R.L.** Acetylcholinesterase clustering at the neuromuscular junction involves perlecan and dystroglycan. 911.
**Perez, M.T.** *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Perkins, G.** *See* Huang, Wang, Ma, Durick, Perkins, Deerinck, Ellisman, and Taylor.
**Perlmann, T.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.
**Perrotta, J.A.** *See* Turner, Brown, Perrotta, Riedy, Nikolopoulos, McDonald, Bagrodia, Thomas, and Leventhal.
**Perry, P.** *See* Croft, Bridger, Boyle, Perry, Teague, and Bickmore.
**Pfanner, N.** *See* Merlin, Voos, Maarse, Meijer, Pfanner, and Rassow.
**Piatti, S.** *See* Fraschini, Formenti, Lucchini, and Piatti.
**Pique, C.** *See* Rosenberg, Delamarre, Pique, Le Blanc, Griffith, and Dokhélar.
**Plagge, A.** *See* Marg, Sirim, Spaltmann, Plagge, Kauselmann, Buck, Rathjen, and Brümmendorf.
**Ploegh, H.L.** *See* Tortorella, Story, Huppa, Wiertz, Jones, Bacik, Bennink, Yewdell, and Ploegh.
**Premont, R.T.** *See* Hall, Premont, and Lefkowitz.
**Prince, J.** *See* Nishiyama, Dahlin, Prince, Johnstone, and Stallcup.
**Pritchard, C.E.J., Fornerod, M., Kasper, L.H., and van Deursen, J.M.A.** RAE1 is a shuttling mRNA export factor that binds to a GLEBS-like NUP98 motif at the nuclear pore complex through multiple domains. 237.
**Puertollano, R., Martín-Belmonte, F., Millán, J., del Carmen de Marco, M., Albar, J.P., Kremer, L., and Alonso, M.A.** The MAL proteolipid is necessary for normal apical transport and accurate sorting of the influenza virus hemagglutinin in Madin-Darby canine kidney cells. 141.

Q

**Qian, Y.-x.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.

R

**Rama, P.** *See* Pellegrini, Golisano, Paterna, Lambiase, Bonini, Rama, and De Luca.
**Ramos-Morales, F.** *See* Infante, Ramos-Morales, Fedriani, Bornens, and Rios.
**Rassow, J.** *See* Merlin, Voos, Maarse, Meijer, Pfanner, and Rassow.
**Rathjen, F.G.** *See* Marg, Sirim, Spaltmann, Plagge, Kauselmann, Buck, Rathjen, and Brümmendorf.
**Rauch, U.** *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Ray, J.M.** *See* Sauvé, Anderson, Ray, James, and Roberge.
**Raynes, K.J.** *See* Bray, Janneh, Raynes, Mungthin, Ginsburg, and Ward.
**Rea, R.** *See* Boitier, Rea, and Duchen.
**Reedy, M.C.** *See* Zhang, Reedy, Hannun, and Obeid.
**Resh, M.D.** *See* Osterhout, Wolven, Wolf, Resh, and Chao.
— *See* van't Hof and Resh.
**Reynolds, A.B.** *See* Aono, Nakagawa, Reynolds, and Takeichi.
**Richter, B.** *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Ridley, A.J.** *See* Wójciak-Stothard, Williams, and Ridley.
**Riedy, M.C.** *See* Turner, Brown, Perrotta, Riedy, Nikolopoulos, McDonald, Bagrodia, Thomas, and Leventhal.
**Ring, B.D.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Rios, R.M.** *See* Infante, Ramos-Morales, Fedriani, Bornens, and Rios.

[S] The online version of this article contains supplemental material.

**Roberg, K.J., Crotwell, M., Espenshade, P., Gimeno, R., and Kaiser, C.A.** *LST1* is a *SEC24* homologue used for selective export of the plasma membrane ATPase from the endoplasmic reticulum. 659.
**Roberge, M.** *See* Sauvé, Anderson, Ray, James, and Roberge.
**Robert-Nicoud, M.** *See* Jolly, Vourc'h, Robert-Nicoud, and Morimoto.
**Rodal, A.A., Tetreault, J.W., Lappalainen, P., Drubin, D.G., and Amberg, D.C.** Aip1p interacts with cofilin to disassemble actin filaments. 1251.
**Roncero, C.** *See* Trilla, Durán, and Roncero.
**Rosen, S.D.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.
**Rosenberg, A.R., Delamarre, L., Pique, C., Le Blanc, I., Griffith, G., and Dokhélar, M.-C.** Early assembly step of a retroviral envelope glycoprotein: Analysis using a dominant negative assay. 57.
**Rosenblum, J.S.** *See* Pemberton, Rosenblum, and Blobel.
**Rossanese, O.W., Soderholm, J., Bevis, B.J., Sears, I.B., O'Connor, J., Williamson, E.K., and Glick, B.S.** Golgi structure correlates with transitional endoplasmic reticulum organization in *Pichia pastoris* and *Saccharomyces cerevisiae*. 69.
**Rossi, S.G.** *See* Peng, Xie, Rossi, and Rotundo.
**Rotundo, R.L.** *See* Peng, Xie, Rossi, and Rotundo.
**Russell, I.D., Grancell, A.S., and Sorger, P.K.** The unstable F-box protein p58-Ctf13 forms the structural core of the CBF3 kinetochore complex. 933.
**Rusyn, E.V.** *See* Keely, Rusyn, Cox, and Parise.
**Ryan, M.C., Lee, K., Miyashita, Y., and Carter, W.G.** Targeted disruption of the *LAMA3* gene in mice reveals abnormalities in survival and late stage differentiation of epithelial cells. 1309.

S

**Saga, H.** *See* Hayashi, Takahashi, Kimura, Nishida, Saga, and Sobue.
**Salamero, J.** *See* Mallard, Antony, Tenza, Salamero, Goud, and Johannes.
**Salter, D.M.** *See* Millward-Sadler, Wright, Lee, Nishida, Caldwell, Nuki, and Salter.
**Sanders, S.L., Gentzsch, M., Tanner, W., and Herskowitz, I.** O-Glycosylation of Axl2/Bud10p by Pmt4p is required for its stability, localization and function in daughter cells. 1177.
**Sanes, J.R.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
**Sanford, T.** *See* French, Smith, Akanbi, Sanford, Hecht, Farach-Carson, and Carson.
**Sansonetti, P.J.** *See* Beatty, Méresse, Gounon, Davoust, Mounier, Sansonetti, and Gorvel.
**Sasaki, H.** *See* Morita, Sasaki, Fujimoto, Furuse, and Tsukita.
**Satoh, A.** *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Satoh, K.** *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Sauvé, D.M., Anderson, H.J., Ray, J.M., James, W.M., and Roberge, M.** Phosphorylation-induced rearrangement of the histone H3 $NH_2$-terminal domain during mitotic chromosome condensation. 225.
**Schattenberg, D.G.** *See* Murray, Davidson, Chapkin, Gustafson, Schattenberg, and Fields.
**Schieltz, D.** *See* Meeusen, Tieu, Wong, Weiss, Schieltz, Yates, and Nunnari.
**Schleicher, M.** *See* Karakesisoglou, Janssen, Eichinger, Noegel, and Schleicher.
**Schleiff, E., Silvius, J.R., and Shore, G.C.** Direct membrane insertion of voltage-dependent anion-selective channel protein catalyzed by mitochondrial Tom20. 973.
**Sears, I.B.** *See* Rossanese, Soderholm, Bevis, Sears, O'Connor, Williamson, and Glick.
**Segall, J.E.** *See* Bailly, Macaluso, Cammer, Chan, Segall, and Condeelis.
**Sells, M.A., Boyd, J.T., and Chernoff, J.** p21-Activated kinase 1 (Pak1) regulates cell motility in mammalian fibroblasts. 837.
**Sémériva, M.** *See* Frémion, Astier, Zaffran, Guillèn, Homburger, and Sémériva.
**Serra, R., Karaplis, A., and Sohn, P.** Parathyroid hormone–related peptide (PTHrP)-dependent and -independent effects of transforming growth factor β (TGF-β) on endochondral bone formation. 783.
**Sheets, E.D., Holowka, D., and Baird, B.** Critical role for cholesterol in Lyn-mediated tyrosine phosphorylation of FCεRI and their association with detergent-resistant membranes. 877.
**Sheff, D.R., Daro, E.A., Hull, M., and Mellman, I.** The receptor recycling pathway contains two distinct populations of early endosomes with different sorting functions. 123.
**Sheppard, D.** *See* Taooka, Chen, Yednock, and Sheppard.
**Shore, G.C.** *See* Schleiff, Silvius, and Shore.
**Sibilia, M.** *See* Eferl, Sibilia, Hilberg, Fuchsbichler, Kufferath, Guertl, Zenz, Wagner, and Zatloukal.
**Sigrist, S.J.** *See* Madeo, Fröhlich, Ligr, Grey, Sigrist, Wolf, and Fröhlich.
**Silvius, J.R.** *See* Schleiff, Silvius, and Shore.
**Sirim, P.** *See* Marg, Sirim, Spaltmann, Plagge, Kauselmann, Buck, Rathjen, and Brümmendorf.
**Slater, S.E.** *See* Blystone, Slater, Williams, Crow, and Brown.
**Smith, C.D., and Blackburn, E.H.** Uncapping and deregulation of telomeres lead to detrimental cellular consequences in yeast. 203.
**Smith, S.E.** *See* French, Smith, Akanbi, Sanford, Hecht, Farach-Carson, and Carson.
**Snyder, M.** *See* Mattagajasingh, Huang, Hartenstein, Snyder, Marchesi, and Benz.
**Sobue, K.** *See* Hayashi, Takahashi, Kimura, Nishida, Saga, and Sobue.
**Sodeik, B.** *See* Kann, Sodeik, Vlachou, Gerlich, and Helenius.
**Soderholm, J.** *See* Rossanese, Soderholm, Bevis, Sears, O'Connor, Williamson, and Glick.
**Sohn, P.** *See* Serra, Karaplis, and Sohn.
**Sorger, P.K.** *See* Russell, Grancell, and Sorger.
**Spaltmann, F.** *See* Marg, Sirim, Spaltmann, Plagge, Kauselmann, Buck, Rathjen, and Brümmendorf.
**Spencer, D.D.** *See* Andjelkovic, Spencer, and Pachter.
**Spencer, D.M.** *See* Gijón, Spencer, Kaiser, and Leslie.
**Spielhofer, P.** *See* Kost, Lemichez, Spielhofer, Hong, Tolias, Carpenter, and Chua.
**Stabler, S.M., Ostrowski, L.L., Janicki, S.M., and Monteiro, M.J.** A myristoylated calcium-binding protein that preferentially interacts with the Alzheimer's disease presenilin 2 protein. 1277.
**Stakeberg, J.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.
**Stallcup, W.B.** *See* Nishiyama, Dahlin, Prince, Johnstone, and Stallcup.
**Stan, R.-V., Ghitescu, L., Jacobson, B.S., and Palade, G.E.** Isolation, cloning, and localization of rat PV-1, A novel endothelial caveolar protein. 1189.
**Stang, E.** *See* Luetterforst, Stang, Zorzi, Carozzi, Way, and Parton.
**Stefanini, M.** *See* Tripiciano, Peluso, Morena, Palombi, Stefanini, Ziparo, Yanagisawa, and Filippini.
**Stevens, T.H.** *See* Ungermann, Fischer von Mollard, Jensen, Margolis, Stevens, and Wickner.
**Story, C.M.** *See* Tortorella, Story, Huppa, Wiertz, Jones, Bacik, Bennink, Yewdell, and Ploegh.
**Straub, V.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
**Su, W.-D.** *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Sudlow, G.** *See* Tumbar, Sudlow, and Belmont.
**Svitkina, T.M., and Borisy, G.G.** Arp2/3 complex and actin depolymerizing factor/cofilin in dendritic organization and treadmilling of actin filament array in lamellipodia. 1009.

T

**Takahashi, K., Nakanishi, H., Miyahara, M., Mandai, K., Satoh, K., Satoh, A., Nishioka, H., Aoki, J., Nomoto, A., Mizoguchi, A., and Takai, Y.** Nectin/PRR: An immunoglobulin-like cell adhesion molecule recruited to cadherin-based adherens junctions through interaction with afadin, a PDZ domain–containing protein. 539.
**Takahashi, M.** *See* Hayashi, Takahashi, Kimura, Nishida, Saga, and Sobue.
**Takahashi, T.** *See* Terada, Tsujimoto, Takei, Takahashi, and Hirokawa.
**Takai, Y.** *See* Takahashi, Nakanishi, Miyahara, Mandai, Satoh, Satoh, Nishioka, Aoki, Nomoto, Mizoguchi, and Takai.
**Takeda, S., Yonekawa, Y., Tanaka, Y., Okada, Y., Nonaka, S., and Hirokawa, N.** Left-right asymmetry and kinesin superfamily protein KIF3A: New insights in determination of laterality and mesoderm induction by *kif3A*$^{-/-}$ mice analysis. 825.
**Takei, Y.** *See* Terada, Tsujimoto, Takei, Takahashi, and Hirokawa.
**Takeichi, M.** *See* Aono, Nakagawa, Reynolds, and Takeichi.
**Tanaka, Y.** *See* Takeda, Yonekawa, Tanaka, Okada, Nonaka, and Hirokawa.
**Tanner, W.** *See* Sanders, Gentzsch, Tanner, and Herskowitz.

**Taooka, Y., Chen, J., Yednock, T., and Sheppard, D.** The integrin α9β1 mediates adhesion to activated endothelial cells and transendothelial neutrophil migration through interaction with vascular cell adhesion molecule-1. 413.
**Taylor, S.S.** *See* Huang, Wang, Ma, Durick, Perkins, Deerinck, Ellisman, and Taylor.
**Teague, P.** *See* Croft, Bridger, Boyle, Perry, Teague, and Bickmore.
**Tenza, D.** *See* Mallard, Antony, Tenza, Salamero, Goud, and Johannes.
**Terada, S., Tsujimoto, T., Takei, Y., Takahashi, T., and Hirokawa, N.** Impairment of inhibitory synaptic transmission in mice lacking synapsin I. 1039.
**Tetreault, J.W.** *See* Rodal, Tetreault, Lappalainen, Drubin, and Amberg.
**Thomas, P.J.** *See* Wigley, Fabunmi, Lee, Marino, Muallem, DeMartino, and Thomas.
**Thomas, S.** *See* Turner, Brown, Perrotta, Riedy, Nikolopoulos, McDonald, Bagrodia, Thomas, and Leventhal.
**Tieu, Q.** *See* Meeusen, Tieu, Wong, Weiss, Schieltz, Yates, and Nunnari.
**Tirnauer, J.S., O'Toole, E., Berrueta, L., Bierer, B.E., and Pellman, D.** Yeast Bim1p promotes the G1-specific dynamics of microtubules. 993.
**Tolias, K.** *See* Kost, Lemichez, Spielhofer, Hong, Tolias, Carpenter, and Chua.
**Tortorella, D., Story, C.M., Huppa, J.B., Wiertz, E.J.H.J., Jones, T.R., Bacik, I., Bennink, J.R., Yewdell, J.W., and Ploegh, H.L.** Dislocation of type I membrane proteins from the ER to the cytosol is sensitive to changes in redox potential [142(2):365]: Correction. 643.
**Trilla, J.A., Durán, A., and Roncero, C.** Chs7p, A new protein involved in the control of protein export from the endoplasmic reticulum that is specifically engaged in the regulation of chitin synthesis in *Saccharomyces cerevisiae.* 1153.
**Tripiciano, A., Peluso, C., Morena, A.R., Palombi, F., Stefanini, M., Ziparo, E., Yanagisawa, M., and Filippini, A.** Cyclic expression of endothelin-converting enzyme-1 mediates the functional regulation of seminiferous tubule contraction. 1027.
**Tronchère, H.** *See* Yeakley, Tronchère, Olesen, Dyck, Wang, and Fu.
**Tsien, R.Y.** *See* Lin, Yao, Hofmeister, Tsien, and Farquhar.
**Tsujimoto, T.** *See* Terada, Tsujimoto, Takei, Takahashi, and Hirokawa.
**Tsukita, S.** *See* Morita, Sasaki, Fujimoto, Furuse, and Tsukita.
— *See* Yonemura, Tsukita, and Tsukita.
**Tuma, P.L., Finnegan, C.M., Yi, J.-H., and Hubbard, A.L.** Evidence for apical endocytosis in polarized hepatic cells: Phosphoinositide 3-kinase inhibitors lead to the lysosomal accumulation of resident apical plasma membrane proteins. 1089.
**Tumbar, T., Sudlow, G., and Belmont, A.S.** Large-scale chromatin unfolding and remodeling induced by VP16 acidic activation domain. 1341.
**Turner, C.E., Brown, M.C., Perrotta, J.A., Riedy, M.C., Nikolopoulos, S.N., McDonald, A.R., Bagrodia, S., Thomas, S., and Leventhal, P.S.** Paxillin LD4 motif binds PAK and PIX through a novel 95-kD ankyrin repeat, ARF–GAP protein: A role in cytoskeletal remodeling. 851. Correction. 1523.

U

**Ungermann, C., Fischer von Mollard, G., Jensen, O.N., Margolis, N., Stevens, T.H., and Wickner, W.** Three v-SNAREs and two t-SNAREs, present in a pentameric cis-SNARE complex on isolated vacuoles, are essential for homotypic fusion. 1435.

V

**Van, G.** *See* Burgess, Qian, Kaufman, Ring, Van, Capparelli, Kelley, Hsu, Boyle, Dunstan, Hu, and Lacey.
**Van Criekinge, W.** *See* Heyninck, De Valck, Vanden Berghe, Van Criekinge, Contreras, Fiers, Haegeman, and Beyaert.
**Vanden Berghe, W.** *See* Heyninck, De Valck, Vanden Berghe, Van Criekinge, Contreras, Fiers, Haegeman, and Beyaert.
**van Deursen, J.M.A.** *See* Pritchard, Fornerod, Kasper, and van Deursen.
**van't Hof, W., and Resh, M.D.** Dual fatty acylation of $p59^{Fyn}$ is required for association with the T cell receptor ζ chain through phosphotyrosine–Src homology domain-2 interactions. 377.
**Venzke, D.P.** *See* Crosbie, Lebakken, Holt, Venzke, Straub, Lee, Grady, Chamberlain, Sanes, and Campbell.
**Vlachou, A.** *See* Kann, Sodeik, Vlachou, Gerlich, and Helenius.
**Voos, W.** *See* Merlin, Voos, Maarse, Meijer, Pfanner, and Rassow.
**Vourc'h, C.** *See* Jolly, Vourc'h, Robert-Nicoud, and Morimoto.

W

**Wagner, E.F.** *See* Eferl, Sibilia, Hilberg, Fuchsbichler, Kufferath, Guertl, Zenz, Wagner, and Zatloukal.
**Wallén, Å.** *See* Pekny, Johansson, Eliasson, Stakeberg, Wallén, Perlmann, Lendahl, Betsholtz, Berthold, and Frisén.
**Wang, H.-Y.** *See* Yeakley, Tronchère, Olesen, Dyck, Wang, and Fu.
**Wang, L.** *See* Huang, Wang, Ma, Durick, Perkins, Deerinck, Ellisman, and Taylor.
**Ward, S.A.** *See* Bray, Janneh, Raynes, Mungthin, Ginsburg, and Ward.
**Wary, K.K.** *See* Oktay, Wary, Dans, Birge, and Giancotti.
**Watton, S.** *See* Astoul, Watton, and Cantrell.
**Way, M.** *See* Luetterforst, Stang, Zorzi, Carozzi, Way, and Parton.
**Weiner, J.A.** *See* Marszalek, Weiner, Farlow, Chun, and Goldstein.
**Weiss, E.** *See* Meeusen, Tieu, Wong, Weiss, Schieltz, Yates, and Nunnari.
**Welch, W.J.** *See* Hansen, Cowan, and Welch.
**Wen, C., and Greenwald, I.** p24 Proteins and quality control of LIN-12 and GLP-1 trafficking in *Caenorhabditis elegans.* 1165.
**West, R.R.** *See* Yamamoto, West, McIntosh, and Hiraoka.
**Wickner, W.** *See* Ungermann, Fischer von Mollard, Jensen, Margolis, Stevens, and Wickner.
**Wiertz, E.J.H.J.** *See* Tortorella, Story, Huppa, Wiertz, Jones, Bacik, Bennink, Yewdell, and Ploegh.
**Wigley, W.C., Fabunmi, R.P., Lee, M.G., Marino, C.R., Muallem, S., DeMartino, G.N., and Thomas, P.J.** Dynamic association of proteasomal machinery with the centrosome. 481.
**Williams, E.L.** *See* Martin, Zusman, Li, Williams, Khare, DaRocha, Chiquet-Ehrismann, and Baumgartner.
**Williams, L.** *See* Wójciak-Stothard, Williams, and Ridley.
**Williams, M.P.** *See* Blystone, Slater, Williams, Crow, and Brown.
**Williamson, E.K.** *See* Rossanese, Soderholm, Bevis, Sears, O'Connor, Williamson, and Glick.
**Winkelmann, D.A.** *See* Colognato, Winkelmann, and Yurchenco.
**Wójciak-Stothard, B., Williams, L., and Ridley, A.J.** Monocyte adhesion and spreading on human endothelial cells is dependent on Rho-regulated receptor clustering. 1293.
**Wolf, D.H.** *See* Madeo, Fröhlich, Ligr, Grey, Sigrist, Wolf, and Fröhlich.
**Wolf, R.M.** *See* Osterhout, Wolven, Wolf, Resh, and Chao.
**Wolven, A.** *See* Osterhout, Wolven, Wolf, Resh, and Chao.
**Wong, E.** *See* Meeusen, Tieu, Wong, Weiss, Schieltz, Yates, and Nunnari.
**Woods, L.M., Hodges, C.A., Baart, E., Baker, S.M., Liskay, M., and Hunt, P.A.** Chromosomal influence on meiotic spindle assembly: Abnormal meiosis I in female *Mlh1* mutant mice. 1395.
**Wright, M.O.** *See* Millward-Sadler, Wright, Lee, Nishida, Caldwell, Nuki, and Salter.

X

**Xie, H.** *See* Peng, Xie, Rossi, and Rotundo.

Y

**Yaffe, M.P.** *See* Fisk and Yaffe.
**Yamaguchi, R., Nakamura, M., Mochizuki, N., Kay, S.A., and Nagatani, A.** Light-dependent translocation of a phytochrome B-GFP fusion protein to the nucleus in transgenic *Arabidopsis.* 437.
**Yamamoto, A., West, R.R., McIntosh, J.R., and Hiraoka, Y.** A cytoplasmic dynein heavy chain is required for oscillatory nuclear movement of meiotic prophase and efficient meiotic recombination in fission yeast. 1233.
**Yanagisawa, M.** *See* Tripiciano, Peluso, Morena, Palombi, Stefanini, Ziparo, Yanagisawa, and Filippini.
**Yao, Y.** *See* Lin, Yao, Hofmeister, Tsien, and Farquhar.
**Yates, J.R.** *See* Meeusen, Tieu, Wong, Weiss, Schieltz, Yates, and Nunnari.
**Yeakley, J.M., Tronchère, H., Olesen, J., Dyck, J.A., Wang, H.-Y., and Fu, X.-D.** Phosphorylation regulates in vivo interaction and molecular targeting of serine/arginine-rich pre-mRNA splicing factors. 447.

**Yednock, T.** *See* Taooka, Chen, Yednock, and Sheppard.
**Yewdell, J.W.** *See* Tortorella, Story, Huppa, Wiertz, Jones, Bacik, Bennink, Yewdell, and Ploegh.
**Yi, J.-H.** *See* Tuma, Finnegan, Yi, and Hubbard.
**Yonekawa, Y.** *See* Takeda, Yonekawa, Tanaka, Okada, Nonaka, and Hirokawa.
**Yonemura, S., Tsukita, S., and Tsukita, S.** Direct involvement of ezrin/radixin/moesin (ERM)-binding membrane proteins in the organization of microvilli in collaboration with activated ERM proteins. 1497.
**Yu, H.-G., Muszynski, M.G., and Dawe, R.K.** The maize homologue of the cell cycle checkpoint protein MAD2 reveals kinetochore substructure and contrasting mitotic and meiotic localization patterns. 425.
**Yu, W.** *See* Ahmad, Yu, McNally, and Baas.
**Yurchenco, P.D.** *See* Colognato, Winkelmann, and Yurchenco.

Z

**Zaffran, S.** *See* Frémion, Astier, Zaffran, Guillèn, Homburger, and Séméniva.
**Zatloukal, K.** *See* Eferl, Sibilia, Hilberg, Fuchsbichler, Kufferath, Guertl, Zenz, Wagner, and Zatloukal.
**Zeidman, R., Löfgren, B., Påhlman, S., and Larsson, C.** PKCε, via its regulatory domain and independently of its catalytic domain, induces neurite-like processes in neuroblastoma cells. 713.
**Zeng, L.** *See* Fagotto, Jho, Zeng, Kurth, Joos, Kaufmann, and Constantini.
**Zenz, R.** *See* Eferl, Sibilia, Hilberg, Fuchsbichler, Kufferath, Guertl, Zenz, Wagner, and Zatloukal.
**Zhang, J., Reedy, M.C., Hannun, Y.A., and Obeid, L.M.** Inhibition of caspases inhibits the release of apoptotic bodies: Bcl-2 inhibits the initiation of formation of apoptotic bodies in chemotherapeutic agent-induced apoptosis. 99.
**Zhou, X.-H.** *See* Oohashi, Zhou, Feng, Richter, Mörgelin, Perez, Su, Chiquet-Ehrismann, Rauch, and Fässler.
**Ziparo, E.** *See* Tripiciano, Peluso, Morena, Palombi, Stefanini, Ziparo, Yanagisawa, and Filippini.
**Zorzi, N.** *See* Luetterforst, Stang, Zorzi, Carozzi, Way, and Parton.
**Zucker, R.S.** *See* Lau, Zucker, and Bentley.
**Zuo, F.-R.** *See* Bistrup, Bhakta, Lee, Belov, Gunn, Zuo, Huang, Kannagi, Rosen, and Hemmerich.
**Zusman, S.** *See* Martin, Zusman, Li, Williams, Khare, DaRocha, Chiquet-Ehrismann, and Baumgartner.

# SUBJECT INDEX VOLUME 145


A20 zinc finger protein, interaction with ABIN, inhibitory effects on nuclear factor-κB activation, 1471
ABIN, interaction with A20 zinc finger protein, nuclear factor-κB inhibited by, 1471
Acetylcholinesterase, clustering at neuromuscular junction, 911
Actin
  integrates into myofibrils, 491
  maturation pathway of, 265
  and pollen tube cell elongation, 317
  relationship between Arp2/3 complex and barbed ends of, polymerization at leading edge of carcinoma cells, 331
Actin cytoskeleton, association with monocyte-binding receptors, 1293
Actin depolymerizing factor/cofilin, as Arp2/3 complex antagonist in lamellipodia, promotes actin filament disassembly, 1009
Actin filament array, in lamellipodia, dendritic organization and treadmilling of, Arp2/3 complex and, actin depolymerizing factor/cofilin and, 1009
Actin filaments
  disassembled by Aip1p–cofilin interaction, 1251
  recruited for microvillar organization, 1497
Actin ring, formation induced by osteoprotegerin ligand, 527
Actomyosin, and keratocyte locomotion, 589
Acylation, of $p59^{Fyn}$, required for association with T cell receptor ζ chain, 377
Adaptor protein complexes, and recognition of tyrosine-based sorting signals, 923
Adducin, phosphorylation by Rho-kinase, 347
Adenomatous polyposis coli, Axin as part of complex including, 741
ADF/cofilin, role in myofibril assembly, 491
Adherens junctions, cadherin-based, nectin recruited to, 539
Afadin, recruits nectin to cadherin-based adherens junctions, 539
Aip1p, interaction with cofilin, and actin filament disassembly, 1251
A-kinase–anchoring protein (dual specificity), differential targeting by, directed to mitochondria or endoplasmic reticulum, 951
Alzheimer's disease, role of calmyrin in, 1277
Apical membrane proteins, in hepatocytes, selectively regulated by phosphoinositide 3-kinase, lysosomes as final destination of, 1089
Apical transport, of hemagglutinin, 141
Apoptosis
  c-Jun and regulation of, 1049
  induced by chemotherapy, lipid release in, release/formation of apoptotic bodies in, 99
  regulated by dystrophin-associated proteins, 1325
  regulated by oxygen stress, induced by glutathione depletion, 757
Apoptotic bodies, caspases and release of, Bcl-2 inhibits formation of, 99
*Arabidopsis*, subcellular localization of phytochrome B in, 437
Arp2/3 complex
  as actin depolymerizing factor/cofilin antagonist in lamellipodia, and actin network integration, protects against depolymerization, 1009
  relationship between actin barbed ends and, 331
Astrocytes
  modulation of $Ca^{2+}$ waves in, 795
  response to central nervous system injury, in mice lacking glial fibrillary acidic protein and vimentin, inability to form intermediate filaments, 503
Axial budding, O-glycosylation required for, 1177
Axin, structural/functional analysis of, and dorsal axis formation, Dishevelled colocalizes with, as part of adenomatous polyposis coli/glycogen synthase kinase 3β/β-catenin complex, 741
Axl2/Bud10p, glycosylated by Pmt4p, activity increased by O-glycosylation, 1177
Axons, microtubules released into, 305
B cell antigen receptor, inhibitory action of FcγRIIb on, 1511
B lymphocytes, protein kinase B regulation during activation of, 1511
Barbed ends (actin), relationship between Arp2/3 complex and, 331
Basal lamina, formation at neuromuscular junction, 911
Bcl-2, inhibits formation of apoptotic bodies, and caspase activation, 99
Binding, chemokines to brain microvessels, 403
Biorheology, visualization of cytoskeleton and, 109
Bone resorption, osteoprotegerin ligand and, 527
Brain development, neurotractin and, 865
Bub2, localized at spindle pole bodies, activates mitotic checkpoint, functions via pathway distinct from Mad2, 979
Budding, axial, O-glycosylation required for, 1177
Budding yeast
  Bub2 activates mitotic checkpoint in, 979
  kinetochore formation in, 933
C2 domain, and cytosolic phospholipase $A_2$ regulation, 1219
$Ca^{2+}$, CALNUC overexpression and uptake of, 279
$Ca^{2+}$ buffering, in astrocytes, by mitochondria, 795
Cadherin-based adherens junctions, nectin recruited to, 539
*Caenorhabditis elegans*
  LIN-12 and GLP-1 trafficking in, 1165
  myofibril assembly in, 491
Calcium
  and cytosolic phospholipase $A_2$ activation, 1219
  filopodial protrusion mediated by, 1265
Calcium-binding protein, calmyrin, interaction with presenilin 2, role in cell death and Alzheimer's disease, 1277
Calcium/calmodulin–dependent protein kinase II, activity regulated by integrin, 889
Calmyrin, interaction with presenilin 2, role in cell death and Alzheimer's disease, 1277
CALNUC (nucleobindin), binds $Ca^{2+}$ in the Golgi, effects of overexpression, EF-hands of, 279
cAMP-dependent protein kinase, subcellular localization of, differential targeting by A-kinase–anchoring protein 1, 951
Carbohydrates, sulfated, synthesis on L-selectin ligands, 899
Carcinogenesis (colon), overexpression of protein kinase C $\beta_{II}$ and, 699
Carcinoma cells, relationship between Arp2/3 complex and actin barbed ends in, actin polymerization at leading edge of, 331
Cardiomyoctes, adult, sarcomere maintenance in, 1483
Caspases, role in apoptotic body release, 99
β-Catenin, Axin functions upstream of, Axin as part of complex including, 741
Catenin, expression in Colo 205 cells, 551
Caveolin
  association with Golgi complex, 1443
  in lung endothelial caveolae, protein PV-1 colocalizes with, 1189
CBF3 kinetochore complex, structural core of, p58 subunit, 933
CD4, $p56^{lck}$ associates with, 457
CD36/LIMP-II, *Dictyostelium discoideum* homologue of (DdLIMP), 167
Cell adhesion, epithelial, laminin 5 and, 1309
Cell cycle
  Bub2 localizes to spindle pole bodies throughout, 979
  G1-specific microtubules dynamics during, regulation of, 993
  meiotic spindle assembly, chromosomal influence on, 1395
  progression through G1, focal adhesion kinase required for, activation of Jun $NH_2$-terminal kinase and, 1461
Cell death, calmyrin and, 1277
Cell division
  affected by telomere deregulation, 203
  role of protein 4.1R isoform in, 29
Cell fibroblasts, p21-activated kinase regulates motility in, 837
Cell localization, of protein kinase B, antagonized by FcγRIIB, 1511
Cell locomotion, separation of traction stresses during, adhesion/contractility and control of, 589
Cell membrane, Fyn localized to, 377
Cell motility
  in fibroblasts, regulated by p21-activated kinase, 837
  phosphorylation of adducin by Rho-kinase and, 347
Cell polarity
  Bim1p and, 993
  cardiac, heterotrimeric protein $G_o$ and, 1063

Cell shape, cytoskeleton and determination of, 109
Central nervous system
axon tracts, neurotractin and development of, 865
injury caused by lack of glial fibrillary acidic protein and vimentin, 503
Centromeres
association with CBF3 kinetochore complex, 933
Ctf19p interact with, 15
Centrosome
neuronal, katanin and microtubule release from, 305
proteasomal machinery associated with, and increased level of misfolded proteins, 481
CFTR (cystic fibrosis transmembrane conductance regulator), folding mutants of, inclusions formed by, 481
Chemokines, binding on brain microvessels, 403
Chemotaxis (mammary carcinoma cells), and control of actin polymerization at leading edge, and generation of nucleation sites, role of Arp2/3 complex in, 331
Chemotherapy, membrane lipid release induced by, and release/formation of apoptotic bodies, 99
Chitin synthase III, regulation of, and endoplasmic reticulum protein export, 1153
Chitin synthesis, in *Saccharomyces cerevisiae*, novel mechanism for, and endoplasmic reticulum protein export, 1153
Chloroquine uptake, in *Plasmodium falciparum*, dependent on binding to ferriprotoporphyrin IX, independent of $Na^+/H^+$ exchanger activity, 363
Cholesterol, maintains plasma membrane structure, role in FcεRI signaling, and FcεRI/Lyn interactions, 877
Chondrocyte differentiation, regulated by transforming growth factor β and parathyroid hormone–related peptide, 783
Chondrocytes, interleukin 4 in mechanotransduction of, 183
Chondrogenesis, stimulated/maintained by perlecan, 1103
Chromatin, VP16-induced unfolding and remodeling of, 1341
Chromosome abberations, telomere deregulation and, 203
Chromosome condensation, histone H3 N-tail in, 225
Chromosome segregation
CBF3 complex formation and, 933
Ctf19p and, 15
Ipl1–Sli15 complex and, 1381
Chromosomes
elasticity and structure of, deformability of, in vitro assembled vs. native somatic, 215
localization/morphology in the nucleus, differences in, 1119
positions on mitotic ring, 1
transcriptional activation domain targeted to, 1341
Ciliated epithelial cells, laminin γ3 chain as prominent element of, 605
*cis*-Golgi network, linked to microtubules by GMAP-210, 83
c-Jun, in liver and heart development, maintains hepatic hematopoiesis, role in neural crest function, and apoptosis regulation, 1049
Claudin-11, forms tight junction strands, in brain and testis, 579
Cofilin, interaction with Aip1p, and actin filament disassembly, 1251
Colo 205 cells, E-cadherin–catenin complex expressed in, do not form compact aggregates, E-cadherin–dependent aggregation induced in, $p120^{ctn}$ and cadherin adhesion in, 551
Colon carcinogenesis, overexpression of protein kinase C $\beta_{II}$ and, 699
Colon carcinoma, $p120^{ctn}$ regulates cadherin function in, 551
Colony development, in *Streptomyces antibioticus*, hyphal death in, 515
COPII-coated vesicles, recruitment of plasma membrane ATPase into, specialized form of coat subunit, 659
Core, of hepatitis B virus, binds to nuclear pore, 45
CRM1, release from nuclear pore complex, 645
Crosstalk, integrin $\alpha_v\beta_3$–$\alpha_5\beta_1$, molecular mechanism of, 889
Ctf19p, and kinetochore function, and chromosome segregation, interaction with centromere, 15
Cytomechanics, visualization of cytoskeleton and, 109
Cytoplasm, recycling of snurportin 1 to (compared to importin), 255
Cytoskeletal proteins, prefoldin–nascent chain complexes in folding of, 265
Cytoskeletal remodeling, mediated by paxillin, 851
Cytoskeleton
actin-binding proteins sorted between compartments of, 1251
mechanics in living fibroblasts, and determination of cell shape, 109
Dendrites, kinesin sorting in, 469
Dense core granules, P-selectin targeting to, 1419
Development, embryonic, *wing blister* required for, 191
*Dictyostelium discoideum*, suppressor of profilin-minus phenotype of, CD36/LIMP-II homologue in, 167
Differentiation
of conjuctival keratinocyte into goblet cell, 769
oligodendrocyte, Fyn required for, 1209
Dishevelled, colocalization with Axin, interaction with Axin/adenomatous polyposis coli/glycogen synthase kinase 3β/β-catenin complex, 741
DNA repair, Mgm101p performs essential function in, 291
Dorsal axis formation, Axin domains required for, 741
*Drosophila*
formation of heart epithelium in, heterotrimeric protein $G_o$ required for, 1063
new α chain of laminin in (*wing blister*), 191
Drug resistance, cellular uptake of chloroquine and, 363
Duplication, of spindle pole body, role of core components during, 809
Dynactin, protein 4.1R isoform interacts with, 29
Dynein, protein 4.1R isoform interacts with, 29
Dynein heavy chain, and nuclear movement in fission yeast, 1233
Dystrobrevin, in basolateral membrane of epithelial cells, 391
Dystroglycan
and acetylcholinesterase clustering at neuromuscular junction, 911
laminin polymerization and, 619
α-Dystroglycan, mediates extracellular matrix assembly, and muscle cell viability, as laminin receptor, 1325
Dystrophin-associated protein complex, localization/targeting of, new variation of, 391
Dystrophin-associated proteins, interaction with extracellular matrix, and muscle viability, regulates apoptosis, 1325
Dystrophin–glycoprotein complex, sarcospan associated with, 153
E-cadherin, expression in Colo 205 cells, induction of aggregation dependent on, $p20^{ctn}$ as inhibitory regulator of, 551
EF-hands, of CALNUC (nucleobindin), 279
Elasticity, of mitotic chromosomes, 215
Electron microscopy, and visualization of U2 small nuclear ribonucleoprotein particle architecture, 1355
Embryogenesis, mouse, perlecan expression during, 1103
Embryonic development, *wing blister* required for, 191
Endocytosis (apical), in polarized hepatocytes, 1089
Endoplasmic reticulum
A-kinase–anchoring protein directed to, 951
protein export from, and chitin synthesis, 1153
selective export of plasma membrane ATPase from, 659
transitional, Golgi structure correlates with organization of, 69
Endoplasmic reticulum assembly, of retroviral envelope glycoproteins, 57
Endosomes, early and recycling, in receptor recycling, different sorting functions of, 123
Endothelial caveolar protein (novel), rat PV-1, isolation/cloning/localization of, 1189
Endothelial cells, adhesion with monocytes, Rho required for, distribution of monocyte-binding receptors in, 1293
Endothelin-converting enzyme-1, and seminiferous tubule contraction, differential expression in testis during spermatogenesis, 1027
Endothelium, L-selectin ligands in, 899
Enzyme activity, muscular, myogenin induces shift in, 633
Epidermal growth factor, and dimerization of Ten-m1, 563
Epileptic seizures, in synapsin I mutant mice, 1039
Epithelial cells
ciliated, laminin γ3 chain as prominent element of, 605
intestinal, lipopolysaccharide trafficking in, 689
laminin 5 and survival/differentiation of, 1309
Madin-Darby canine kidney, syntrophin/utrophin complex in, dystrobrevin in, 391
ERK/p38MAPK, balance between phosphoinositide 3-kinase/protein kinase B pathway and, and determination of smooth muscle cell phenotypes, 727
E-Selectin, distribution in endothelial cells regulated by Rho, 1293
Exercise, and muscle metabolism, and gene expression regulation, 633
Exocytic pathway, $p56^{lck}$ associates wth CD4 on, 457
Extracellular matrix, α-dystroglycan mediates assembly of, 1325
Eye, localization/clonal analysis of stem cells in, 769

Ezrin/radixin/moesin, recruited for microvillar organization, 1497
Ezrin/radixin/moesin–binding membrane proteins, recruit actin filaments, and cortical morphogenesis, and microvillar organization, 1497
F-actin, and filopodial generation, 1265
FcγRIIb, inhibitory action on B cell antigen receptor/protein kinase B response, 1511
Ferriprotoporphyrin IX, chloroquine uptake dependent on binding to, 363
Fibroblasts, cytoskeletal mechanics in, 109
Filopodia, calcium-mediated generation of, 1265
Fission yeast, dynein-dependent nuclear movement in, 1233
Flexural rigidity, of mitotic chromosomes, 215
Fluorescence in situ hybridization, and visualization of chromosomal positions on mitotic ring, 1
Focal adhesion kinase, integrin-mediated activation of, regulates Jun $NH_2$-terminal kinase, and cell cycle regulation, 1461
Fyn, interaction with T cell receptor ζ, membrane localization of, 377
Fyn tyrosine kinase, required for oligodendrocyte differentiation, and regulation of myelin sheet formation, 1209
G protein pathways, heptahelical receptor signaling through means other than, 927
Gene activation, nuclear factor-κB–dependent, inhibited by A20 zinc finger protein, 1471
Gene expression regulation, and muscle metabolic/contractile properties, physical training and, 633
Gene targeting, of *kif3A*, 825
Genome organization, between chromosomes, implications for nuclear structure, 1119
Glial fibrillary acidic protein, lack of, central nervous system injury resulting from, 503
GLP-1, p24 proteins and trafficking of, 1165
Glutathione, apoptosis induced by depletion of, 757
Glycogen synthase kinase 3β, Axin functions downstream of, Axin as part of complex including, 741
Glycolipid-enriched membranes, and apical transport of influenza virus hemagglutinin, 141
GMAP-210, and structural integrity of Golgi apparatus, links *cis*-Golgi network to microtubules, 83
Goblet cells, keratinocytes differentiate into, 769
Golgi apparatus, structural integrity maintained by GMAP-210, 83
Golgi $Ca^{2+}$ pool, CALNUC/SERCA/$IP_3$ receptor and establishment of, 279
Golgi complex, caveolin associates with, 1443
Golgi membranes, fusogenic domains of, 673
Golgi structure, correlates with transitional endoplasmic reticulum organization, 69
Green fluorescent protein
and subcellular localization of phytochrome B, 437
and transcriptional activation domain targeting to chromosomal regions, 1341
and visualization of syntrophin localization, 391
Growth cones, calcium-mediated filopodial protrusion in, 1265
Growth factors, nuclear transport of, 421
Heart epithelium, *Drosophila*, heterotrimeric protein $G_o$ required for, 1063
Heat shock genes, transcription sites in, association with splicing factors (independent of introns), 1133
Heat shock protein 70 (mitochondrial), interaction with Tim44, and protein translocation, 961
Hematopoiesis, hepatic, role of c-Jun in maintenance of, 1049
Heme binding, cellular uptake of chloroquine and, 363
Heparan sulfate proteoglycan
and acetylcholinesterase clustering at neuromuscular junction, 911
perlecan, expression during embryogenesis, stimulates/maintains chondrogenesis, 1103
Hepatocytes, polarized, apical endocytosis in, 1089
Heptahelical receptors, intracellular signaling by (beyond classical G protein pathways), 927
Heterotrimeric protein $G_o$, and heart epithelium formation, 1063
High endothelial venules, L-selectin binds to, 899
Histone H3 N-tail, association between DNA and, phosphorylation-induced rearrangement of, 225
Homologous chromosome pairing, in fission yeast, dynein-dependent, 1233
Human T cell leukemia virus, transport-defective mutants of, 57
Hyphal death, in *Streptomyces antibioticus*, 515
Ig superfamily, novel member involved in neurite outgrowth, 865
Immunodiffusion, and study of PV-1 localization in rat lung, 1189
Immunoglobulin E receptor, tyrosine phosphorylation of, 877
Immunoglobulin superfamily, poliovirus receptor–related protein (nectin) as cell–cell adhesion molecule of, afadin interacts with family of, 539
Import, into mitchondrial outer membrane, of voltage-dependent anion-selective channel protein, Tom20 and, 973
Importin, export of (compared to snurportin 1), 255
Inclusions, formed by folding mutants of CFTR, inhibition of proteasome activity and formation of, 481
Inhibitory synapses, synapsin I minimizes transmitter depletion at, 1039
Injury, central nervous system, in mice lacking glial fibrillary acidic protein and vimentin, 503
Inner membrane, mitochondrial, mutant Tim44 assembles into, 961
Integrin
interleukin 4 secretion mediated by, 183
laminin polymerization and, 619
Integrin α, R-Ras signals through cytoplasmic domains of, 1077
Integrin α4, and neutrophil chemotaxis, 413
Integrin α9β1, mediates cell adhesion to VCAM-1, and neutrophil migration, and neutrophil chemotaxis, 413
Integrins
$\alpha_v\beta_3$–$\alpha_5\beta_1$ crosstalk, molecular mechanism of, calcium/calmodulin–dependent protein kinase II activity regulated by, 889
interaction with laminin 5, 1309
Jun $NH_2$-terminal kinase activated by, mediate focal adhesion kinase activation, 1461
Intercellular adhesion molecule-1, distribution in endothelial cells regulated by Rho, 1293
Interleukin 4, integrin-mediated secretion of, in chondrocyte mechanotransduction, 183
Intestine
epithelial proliferation in, and protein kinase C $\beta_{II}$ overexpression, 699
polarized epithelial cells of, lipopolysaccharide trafficking in, 689
Intracellular $Ca^{2+}$ waves, in astrocytes, mitochondria exert negative feedback on, 783
Intracellular signaling, by heptahelical receptors (beyond classical G protein pathways), 927
Introns, transcription site–splicing factor association independent of, 1133
Invasion, of breast epithelial cells, activated by R-Ras, 1077
Ion channels, and chondrocyte mechanotransduction, 183
$IP_3$ receptor, and constitution of Golgi $Ca^{2+}$ store, 279
Ipl1, association with Sli15, and chromosome segregation, 1381
Jun $NH_2$-terminal kinase, activated by integrins, regulated by focal adhesion kinase, and cell cycle progression, 1461
Junctional epidermolysis bullosa, similar condition in LAMA3 null animals, 1309
Karyopherin Kap114p, mediates nuclear import of TATA-binding protein, 1407
Katanin, severs microtubules in the neuron, 305
Keratinocyte, human ocular, differentiation into goblet cell, 769
Keratocytes, separation of traction stresses in, 589
*kif3A*, function of, gene targeting of, 825
KIF3A (kinesin superfamily protein), and left-right asymmetry, determination of laterality and mesoderm induction, and neurogenesis, 825
Kinases, and splicing factor trafficking, 447
Kinesin, dendritic, sorting of, 469
Kinetochore
Ctf19p and function of, link between mitotic spindle and, 15
prometaphase, MAD2 localization to, 425
formation in budding yeast, role of CBF3 in, 933
*Kluyveromyces lactis*, telomere regulation in, 203
Knockout mice, c-Jun (fetuses), deregulation of apoptosis in, cardiac malformation in, disrupted hepatocyte turnover in, 1049
*LAMA3* gene, targeted disruption of, effect on survival/differentiation of epithelial cells, 1309
Laminin
α-dystroglycan as receptor for, 1325
as polymeric ligand, induces receptor–cytoskeleton network, muscular dystrophies resulting from mutations in, assembly on cell surface, 619
Laminin α1, 2, *Drosophila wing blister* encoded by, essential for embryonic viability, and cell migration/adhesion, 191
Laminin 5, and cell survival/gene expression in epithelium, interaction with integrins, 1309
Laminin γ3 chain, characterization and expression of, as prominent element of ciliated epithelial cells, non-basement membrane–associated, 605

Left-right asymmetry, and kinesin superfamily KIF3A, determination of laterality and mesoderm induction, 825
LIN-12, p24 proteins and trafficking of, 1165
Lipid domains, maintained by cholesterol, role in FcεRI/Lyn functional coupling, 877
Lipid release, induced by chemotherapy, as regulated aspect of apoptosis, 99
Lipopolysaccharide, trafficking in polarized epithelial cells, 689
Locomotion, of keratocytes vs. fibroblasts, 1009
L-selectin ligands, sulfotransferases and generation of, bind to high endothelial venules, 899
Lung
  laminin γ3 chain in, 605
  rat, PV-1 localizes to endothelial caveolae of, 1189
Lymphocytes, chromosome positions on mitotic rings of, 1
Lysosomes, P-selectin targeting to, 1419
Macrophage inflammatory protein-1α, specific binding sites for (on parenchymal surface of microvessels), 403
MAD2 (cell cycle checkpoint protein), maize homologue of, localization patterns in mitosis/meiosis, role in spindle checkpoint, 425
Madin-Darby canine kidney cells, transport/sorting of hemagglutinin in, 141
MAL proteolipid, and transport/sorting of hemagglutinin, 141
Matrix assembly, laminin polymerization and, 619
Mechanotransduction, of chondrocytes, interleukin 4 and, 183
Meiosis
  first spindle assembly during, chromosomal influence on, 1395
  MAD2 localization patterns in, 425
Meiotic recombination, efficiency of, cytoplasmic dynein heavy chain required for, 1233
Membrane fusion, vacuolar, requires pentameric cis-SNARE complex, 1435
Membrane ruffling, phosphorylation of adducin by Rho-kinase and, 347
Mesodermal patterning, kinesin superfamily protein KIF3A and, 825
Methyl-β-cyclodextrin, cholesterol depletion by, effects on FcεRI/Lyn interactions, 877
Mgm101p, as novel component of mitochondrial nucleoid, binds DNA, and repair of oxidatively damaged mitochondrial DNA, and maintenance of mitochondrial genome, 291
Mice, lacking glial fibrillary acidic protein and vimentin, central nervous system injury in, 503
Microtubule-associated proteins, and microtubule polymerization dynamics, 993
Microtubules
  dynamics during G1, regulated by yeast Bim1p, 993
  GMAP-210 links *cis*-Golgi network to, 83
  in neuron, severed by katanin, released into axons/dendrites, 305
Microvessels, brain, chemokine binding to, 403
Microvilli, organization of, ezrin/radixin/moesin–binding membrane proteins and, 1497
Migration, of breast epithelial cells, acitvated by R-Ras, 1077
Mismatch repair, disruption affects formation of first meiotic spindle, 1395
Mitochondria
  A-kinase–anchoring protein directed to, 951
  enzymatic activity in, shift from glycolytic to oxidative, 633
  and modulation of $Ca^{2+}$ waves in astrocytes, 795
  mutant Tim44 imports into, 961
  outer membrane, voltage-dependent anion-selective channel protein inserted into, 973
Mitochondrial DNA, role of Mgm101p in maintenance of, 291
Mitochondrial inheritance, in yeast, role for ubiquitination in, 1199
Mitogen-activated protein kinases, balance between phosphoinositide 3-kinase/protein kinase B and, and determination of smooth muscle cell phenotypes, 727
Mitosis, MAD2 localization patterns in, 425
Mitotic checkpoint, activated by Bub2, 979
Mitotic chromosomes, structure of, 215
Mitotic ring, chromosomal positions on, 1
Mitotic spindle
  link between kinetochore and, 15
  protein 4.1R and organization of, 29
Monocyte adhesion, to endothelial cells, regulated by Rho, 1293
Monocyte chemoattractant protein-1, specific binding sites for (on parenchymal surface of microvessels), 403
Morphogenesis, cortical, ezrin/radixin/moesin–binding proteins and, 1497
mRNA export, RAE1 and, 237
Muscle fibers, myogenin and metabolism of, 633
Muscle proteins, in adult cardiac myocytes, dynamics of, 1483
Muscle structure, cardiac, sarcomere maintenance and, 1483
Muscular dystrophy
  resulting from laminin mutations, 619
  sarcospan expression in, 153
Myelin, sheet formation regulated by Fyn tyrosine kinase, 1209
Myelin sheaths, in brain, claudin-11/OSP–based tight junctions of, 579
Myofibrils, actin integrates into, ADF/cofilin and assembly of, 491
Myogenin, and muscle metabolism, 633
Myosin light chain, phosphorylation of, affected by p21-activated kinase, 837
Myotubes, extracellular matrix assembly on, α-dystroglycan and, 1325
Myristoylation, of calcium-binding protein calmyrin, 1277
$Na^+/H^+$ exchanger activity, chloroquine uptake independent of, 363
Nectin (poliovirus receptor–related protein), recruitment to cadherin-based adherens junctions, 539
Negative feedback, on intracellular $Ca^{2+}$ wave propagation in astrocytes, exerted by mitochondria, 795
Nestin, expressed in response to central nervous system injury, and absence of glial fibrillary acidic protein and vimentin, 503
Neural crest, role of c-Jun in function of, 1049
Neurite outgrowth
  during neuronal differentiation, regulated by protein kinase Cε, 713
  promoted by neurotractin, 865
Neuroblastoma cells, protein kinase Cε induces neurite-like processes in, 713
Neurogenesis, kinesin superfamily protein KIF3A and, 825
Neuromuscular junction, acetylcholinesterase clustering at, 911
Neuron, katanin severs microtubules in, 305
Neuronal differentiation, protein kinase Cε and neurite outgrowth during, 713
Neurons, intracellular kinesin targeting mechanism in, 469
Neurotractin, promotes neurite outgrowth, interacts with CEPU-1 and LAMP, 865
Neutrophils, integrin α9β1 critical for migration of, integrins α9β1 and α4 contribute to chemotaxis of, integrin α9β1/VCAM-1 interactions and extravasation of, 413
Nid1p, and spindle pole body duplication, 809
NSF, as pentameric cis-SNARE complex subunit, and homotypic vacuole fusion, 1435
Nuclear compartmentalization, of chromosomes 18 and 19, and distribution of genomic sequences, 1119
Nuclear factor-κB, activation inhibited by zinc finger protein A20, 1471
Nuclear import, of proteins, novel karyopherin-mediated pathway, 1407
Nuclear import receptor, for SR proteins, transportin-SR as, 1145
Nuclear localization signal, for SR proteins, RS domain functions as, 1145
Nuclear mitotic apparatus protein, protein 4.1R isoform interacts with, 29
Nuclear pore, hepatitis B virus core particles bind to, 45
Nuclear pore complex
  dissociation of nuclear export complexes from, 645
  and nuclear export of snurportin 1, 255
  RAE binds to NUP98 motif at, 237
Nuclear targeting, of phytochrome B-GFP, 437
Nuclear transport
  of CRM1, RanBP1 and, RanBP2 and, 645
  of snurportin 1 (compared to importin), 255
Nucleation sites, actin, relationship between Arp2/3 complex and, generation of, 331
Nucleobindin, binds $Ca^{2+}$ in the Golgi, effects of overexpression, EF-hands of, 279
Nucleoid, mitochondrial, Mgm101p as novel component of, 291
Nucleolus, in yeasts with mutant 5S RNA, altered structure of, 1369
Nucleus
  growth factors transported into, 421
  SR proteins imported/targeted into, 447
Nuf2, and chromosome segregation, 1381
NUP98, RAE1 shuttles and binds to, 237
O-Glycosylation, required for axial budding, increases Axl2/Bud10p activity in daughter cells, 1177
Oligodendrocytes
  differentiation requires Fyn, 1209
  tight junctions in myelin sheaths of, 579
Oligodendrocyte-specific protein, expression/subcellular distribution of, as member of claudin family, specific component of tight junction strands, 579
Oocytes, in *Mlh1* mutant mice, formation of first meiotic spindle in, 1395
Organelle inheritance, in yeast, protein ubiquitination and, 1199
Osteoclasts, mature, activated by osteoprotegerin ligand, effect of osteoprotegerin on, 527
Osteoprotegerin, effect on mature osteoclasts, 527
Osteoprotegerin ligand, activates mature osteoclasts, effect on actin ring formation and bone resorption, effects mediated by RANK, 527
Oviduct, laminin γ3 chain in, 605

Oxidative damage (to mitochondrial DNA), Mgm101p and repair of, 291
Oxygen stress, regulates apoptosis in yeast, 757
p24 proteins, and quality control of endoplasmic reticulum–Golgi transport, 1165
p56$^{lck}$, newly synthesized, association with CD4, travels to plasma membrane via exocytic pathway, 457
p120$^{ctn}$, regulates cadherin function in colon carcinoma, 551
p21-activated kinase, regulates motility in fibroblasts, 837
Pair rule genes (*ten-m/odz*), structure/function of, 563
Palmitoylation, and caveolin-to-Golgi association, 1443
Parathyroid hormone–related peptide, and transforming growth factor β in skeletal development, 783
Paxillin, mediates cytoskeletal remodeling, LD motifs function as protein-binding sites, 851
PC12 cells, triorganellar distribution of P-selectin in, 1419
Perlecan
  and acetylcholinesterase clustering at neuromuscular junction, 911
  expression during embryogenesis, stimulates/maintains chondrogenesis, 1103
Phosphatidylinositides, DdLIMP as transporter of, 167
Phosphatidylinositol 4, 5-bisphosphate, compartmentalization of, and regulation of pollen tube growth, 317
Phosphoinositide 3-kinase, selectively regulates apical membrane proteins, 1089
Phosphoinositide 3-kinase/protein kinase B, balance between ERK/p38MAPK pathway and, and determination of smooth muscle cell phenotypes, 727
Phospholipase $A_2$, cytosolic, regulation of, 1219
Phosphorylation
  of adducin by Rho-kinase, 347
  and cytosolic phospholipase $A_2$ regulation, 1219
  of hepatitis B virus core protein, and nuclear import of viral genomes, 45
  and histone H3 N-tail rearrangement, 225
  of myosin light chain, affected by p21-activated kinase, 837
  tyrosine, in oligodendrocytes, 1209
Photolysis, filopodial protrusion triggered by, 1265
Photomorphogenesis, and phytochrome B, in *Arabidopsis*, 437
Phytochrome B-GFP, nuclear localization of, 437
*Pichia pastoris*, discrete transitional endoplasmic reticulum sites in, and generation of coherent Golgi stacks, 69
Plasma membrane, p56$^{lck}$ travels to, 457
Plasma membrane structure, maintained by cholesterol, role in FcεRI signaling, 877
Plasmalemmal vesicles, novel protein related to (PV-1), isolation/cloning/localization of, 1189
*Plasmodium falciparum*, chloroquine uptake in, 363
*PMT4*, effect on axial budding patterns, 1177
Polarity
  *PMT4* and, 1177
  of pollen tube growth, Rac and, PtdIns 4, 5-$P_2$ and, 317
Polarized cells, apical endocytosis in, phosphoinositide 3-kinase and, 1089
Poliovirus receptor–related protein (nectin), recruited to cadherin-based adherens junctions, localized at zonula adherens (in epithelial cells) and cell–cell adherens junctions (in nonepithelial cells), 539
Pollen tube, Rac and PtdIns 4, 5-$P_2$ regulate growth of, 317
Polyamines, and chromosome condensation, 225
Porin, 30-kD voltage-dependent anion-selective channel in mitochondrial outer membrane, import of, 973
Prefoldin, targets nascent actin and tubulin chains, 265
Prefoldin–nascent chain complexes, assembly of, 265
Pre-mRNA splicing, active form of U2 small nuclear ribonucleoprotein particle binds to, 1355
Pre-rRNA, processing pathway, 5S ribosomal RNA assembly required during, 1369
Presenilin 2, calmyrin 2 interacts with, 1277
Profilin, regulatory events upstream of, 167
Profilin-minus phenotype, of *Dictyostelium*, suppressor mutants of, 167
Programmed cell death, in multicellular prokaryote (*Streptomyces antibioticus*), 515
Prokaryotes, programmed cell death in, 515
Proliferation, of intestinal epithelium, and protein kinase C $\beta_{II}$ overexpression, 699
Proteasome, centrosome-associated, 481
Protein folding, prefoldin–nascent chain complexes in, 265
Protein kinase, Ipl1, essential for proper chromosome segregation, 1381
Protein kinase B, cellular localization of, FcγRIIb inhibits stimulation of, regulation during B lymphocyte activation, 1511
Protein kinase C, role in R-Ras–induced migration, 1077
Protein kinase C $\beta_{II}$, overexpression of, and colonic hyperproliferation, and colon carcinogenesis, 699
Protein kinase Cε, role in neurite outgrowth regulation, 713
Protein misfolding, centrosome and increase in, 481
Protein 4.1R (nonerythroid isoform of), interaction with nuclear mitotic apparatus protein, role in cell division, 29
Protein sorting, novel dendritic pathway, 469
Protein synthesis, prefoldin–nascent chain complexes in, 265
Protein translocation, J-related segment of Tim44 and, Tim44–Hsp70 interaction and, 961
Protein transport, fusogenic Golgi domains and, 673
Proteolipid, MAL, and transport/sorting of hemagglutinin, 141
Proton-ATPase (plasma membrane), selective export from endoplasmic reticulum, *LST1* and, 659
P-Selectin, multiple targeting signals of, 1419
Rac, and regulation of pollen tube growth, 317
RAE1, as shuttling transport factor, and nuclear export of mRNAs, anchors to NUP98 motif at nuclear pore complex, 237
Ran, and vectorality of nuclear export, 645
RanBP1, 2, and release of CRM1 from nuclear pore complex, 645
RANK, mediates effects of osteoprotegerin ligand, 527
Rat lung, PV-1 localizes to endothelial caveolae of, 1189
Reactive oxygen species, and induction of apoptotic phenotype, 757
Receptor recycling, two distinct populations of early endosomes in, 123
Rho
  adducin phosphorylated by Rho-kinase downstream of, 347
  receptor clustering regulated by, monocyte adhesion/spreading dependent on, 1293
Rho-kinase, phosphorylates adducin downstream of Rho, 347
Ribosomes, location of 5S RNA in, 1369
RNA, 5S ribosomal, assembly of, required during pre-rRNA processing, 1369
R-Ras, signals through integrin α subunits, promotes cell migration/invasion, 1077
RS (arginine/serine) domains, protein–protein interactions mediated by, importance of phosphorylation in, 447
*Saccharomyces cerevisiae*
  actin filament disassembly in, 1251
  CBF3 and kinetochore formation in, 933
  chitin synthesis in, novel mechanism for, 1153
  chromosome segregation in, Ipl1–Sli15 complex and, 1381
  delocalized transitional endoplasmic reticulum in, and generation of dispersed Golgi, 69
  endoplasmic reticulum–Golgi protein transport in, specialized form of COPII coat subunit and, 659
  microtubule dynamics in, regulated by Bim1p, 993
  novel kinetochore protein in, 15
  nuclear import of TATA-binding protein in, mediated by karyopherin Kap114p, 1407
  oxygen stress regulates apoptosis in, 757
  spindle pole body duplication in, 809
  ubiquitination and mitochondrial inheritance in, 1199
Sarcoglycan subcomplex, association of sarcospan with, 153
Sarcomere maintenance, in adult cardiac myocytes, thin filament protein dynamics and, 1483
Sarcospan, association with sarcoglycan subcomplex, expression in muscular dystrophy, homology with tetraspans, 153
Secretion, fusogenic Golgi domains and, 673
SEL-9, and quality control of LIN-12 and GLP-1 trafficking, 1165
Seminiferous tubules, endothelin-converting enzyme-1 and contraction of, 1027
SERCA, and constitution of Golgi $Ca^{2+}$ store, 279
Sertoli cells, in testis, claudin-11/OSP–based tight junctions of, 579
Sf9 cells, cytosolic phospholipase $A_2$ translocation in, arachidonic acid release in, 1219
*Shigella* lipopolysaccharide, trafficking in polarized epithelial cells, 689
Signal transduction
  affected by cholesterol depletion, 877
  growth factor– and adhesion-mediated, paxillin and integration of, 851
  pathway associated with heterotrimeric protein $G_o$, 1063
  of phytochrome B, in *Arabidopsis*, 437
Signaling, of R-Ras, through integrin α cytoplasmic domains, 1077
Skeletal development, parathyroid hormone–related peptide in, transforming growth factor β in, 783

Sli15, association with Ipl1, and chromosome segregation, 1381
Smooth muscle cells, signals regulating phenotype of, 727
α-SNAP, as pentameric cis-SNARE complex subunit, and homotypic vacuole fusion, 1435
SNARE complex, required for vacuole–vacuole fusion, 1435
Snurportin 1, CRM1-mediated nuclear export of, 255
Sorting
  endosomal, and receptor recycling, 123
  of hemagglutinin, 141
Sorting signals, tyrosine-based, molecular bases for recognition of, 923
Spc29p, and spindle pole body duplication, 809
Spc42p, and spindle pole body duplication, 809
Spermatogenesis, differential expression of endothelin-converting enzyme-1 in testis during, 1027
Spindle assembly, in maize mitosis and meiosis, MAD2 and, 425
Spindle checkpoint, maize homologue of MAD2 and, 425
Spindle formation, meiotic, chromosomal influence on, 1395
Spindle pole bodies
  Bub2 localizes at throughout cell cycle, 979
  role of core components during duplication, 809
Spliceosome, U2 small nuclear ribonucleoprotein particle and assembly of, 1355
Splicing factors
  association with heat shock gene transcription sites (independent of introns), 1133
  position within U2 small nuclear ribonucleoprotein particle, 1355
  targeting of, kinase-dependent, 447
SR proteins
  interaction with one another, phosphorylation-dependent steps for, nuclear import/targeting of, 447
  nuclear import pathway for, transport mediated by transportin-SR, 1145
Src homology domains, phosphotyrosine interaction with, 377
SRPKs, phosphorylation mediated by (and RS domain–containing protein interactions), and nuclear import/targeting of SR proteins, 447
Staurosporine, mitotic cells treated with, and histone H3 dephosphorylation, and chromosome decondensation, 225
Stem cells, in human ocular surface, 769
*Streptomyces antibioticus*, hyphal death in, 515
Subapical compartment, does not function as an apical endosome, 1089
Subcellular localization, of cAMP-dependent protein kinase, dictated by A-kinase–anchoring protein splice variants, 951
Sulfotransferases, and generation of L-selectin ligands, 899
Synapsin I, deficiency impairs inhibitory synaptic transmission, and anchoring of synaptic vesicles, 1039
Synaptic transmission, inhibitory, in mice lacking synapsin I, 1039
Synaptic vesicles, anchoring of, synapsin I contributes to, 1039
Synaptic-like microvesicles, P-selectin targeting to, 1419
Syntrophin, interaction between utrophin and, polarized localization of (visualized with green fluorescent protein), 391
T cell receptor ζ, interaction with Fyn, membrane localization of, 377
Targeting
  caveolin to Golgi, 1443
  $p56^{lck}$ to plasma membrane, 457
TATA-binding protein, karyopherin-mediated nuclear import of, 1407
Telomere clustering, and homologous chromosome pairing, and efficient meiotic recombination, 1233
Telomeres, uncapping and deregulation of, 203
Ten-m1, dimerization of, ability to make homophilic interactions, 563
Ten-m/Odz, as new family of transmembrane proteins, function of related proteins in mammals, 563
Testis, laminin γ3 chain in, 605
Tetraspans, sarcospan's homology with, 153
Tight junctions, claudin-11/OSP–based, of Sertoli cells and myelin sheaths, 579
Tim44, J-related segment of, essential for cell viability, necessary for interaction with mitochondrial Hsp70, 961
Tom20, and voltage-dependent anion-selective channel membrane insertion, 973
Traction stresses, in locomoting keratocytes, separation of, 589
Trafficking, of lipopolysaccharide in polarized epithelial cells, 689
Transcription
  and chromosome architecture, 1119
  and remodeling of large-scale chromatin structure, 1341
  sites of, association with splicing factors (independent of introns), 1133
Transcytosis, of lipopolysaccharide, endocytic compartments involved in, 689
Transformation, activated by R-Ras, 1077
Transforming growth factor β, acts upstream of parathyroid hormone–related peptide, parathyroid hormone–related peptide–dependent and –independent effects of, regulates hypertrophic differentiation, and skeletal development, 783
Transgenic mice
  overexpressing myogenin, altered enzymatic activity in muscle of, 633
  overexpressing protein kinase C $\beta_{II}$, susceptibility to colon carcinogenesis, 699
Translocation chromosomes, in the nucleus, orientation of, 1119
Transmembrane proteins, ten-m/Odz as new family of, 563
Transmission, inhibitory synaptic, in mice lacking synapsin I, 1039
Transport, endoplasmic reticulum–Golgi, p24 proteins and quality control of, 1165
Transport vesicles, specialized form of COPII coat subunit of, 659
Transportin-SR, mediates transport of SR proteins, binds to RS domains of SR proteins, 1145
Treadmilling, of actin filament array in lamellipodia, Arp2/3 complex and, actin depolymerizing factor/cofilin and, 1009
Tropomyosin, transfer into cardiac myocytes, incorporation into sarcomere, 1483
Troponin, transfer into cardiac myocytes, incorporation into sarcomere, 1483
Truncus arteriosus persistens, similar malformation in *c-jun*$^{-/-}$ fetuses, 1049
Tubulin, maturation pathway of, 265
Tumor necrosis factor, A20 interferes with pathway induced by (and inhibits nuclear factor-κB activation), 1471
Tumor necrosis factor receptor–associated factor, A20 interferes with pathway mediated by (and inhibits nuclear factor-κB activation), 1471
Tyrosine phosphorylation, in oligodendrocytes, 1209
Tyrosine-based sorting signals, molecular bases for recognition of, 923
U2 small nuclear ribonucleoprotein particle, architecture of, 1355
Ubiquitination, role in mitochondrial inheritance, 1199
Ultraviolet laser cross-linking, and visualization of H3 N-tail in mitotic cells, 225
UNC-60B, and integration of actin into myofibrils, 491
Utrophin, interaction between syntrophin and, 391
Vacuoles, SNARE complex required for homotypic fusion of, 1435
Vascular cell adhesion molecule-1
  distribution in endothelial cells regulated by Rho, 1293
  integrin α9β1 mediates cell adhesion to, 413
Vesicular transport
  fusogenic Golgi domains and, 673
  paxillin LD motifs and, 851
Vimentin, lack of, central nervous system injury resulting from, 503
Viral envelope protein, early assembly step of, 57
Viral genomes, nuclear import of, 45
Voltage-dependent anion-selective channel, membrane insertion of, 973
VP16, acidic activation domain of, and large-scale chromatin organization changes, 1341
*wing blister* (*Drosophila*), essential for embryonic viability, involvement in cell migration/adhesion, encoded by laminin α1, 2, 191
WD-40 repeats, and dendritic kinesin sorting, 469
Yeast
  Golgi–transitional endoplasmic reticulum system in, 69
  *MGM101* and mitochondrial DNA maintenance in, 291
  with mutant 5S RNA, altered nucleolar structure in, 1369
  nuclear import of TATA-binding protein in, mediated by karyopherin Kap114p, 1407
  *Saccharomyces cerevisiae*, microtubule dynamics in, regulated by Bim1p, 993
  telomere regulation in, 203
  ubiquitination and mitochondrial inheritance in, 1199
Zinc finger protein A20, inhibitory effects on nuclear factor-κB activation, 1471
Zonula adherens, poliovirus receptor–related protein (nectin) localized to, 539